



**BOYNTON BEACH
ADMINISTRATIVE AMENDMENTS
to the
FLORIDA BUILDING CODE 7th Edition (2020)**

ORDINANCE NO.

EFFECTIVE December 31, 2020

BEGINNING WITH PERMIT NO. 21-0001

**City of Boynton Beach Division of Development
Building Division
100 East Ocean Avenue
Boynton Beach, Florida 33435
(561) 742-6350 Office
(561) 742-6357 Fax**

This document can be downloaded online – at no charge – by visiting the “Forms & Applications” section of the Building Division page on the City of Boynton Beach website at www.boynton-beach.org

PART 1—SCOPE AND APPLICATION

**CHAPTER 1
ADMINISTRATION**

Table of Contents

BOYNTON BEACH ADMINISTRATIVE AMENDMENTS to the FLORIDA BUILDING CODE 7th Edition (2020) 1

SECTION 101 GENERAL 3

SECTION 102 APPLICABILITY 5

SECTION 103 DIVISION OF BUILDING SAFETY..... 10

SECTION 104 DUTIES AND POWERS OF THE BUILDING OFFICIAL 10

SECTION 105 PERMITS 13

SECTION 106 FLOOR AND ROOF DESIGN LOADS 29

SECTION 107 SUBMITTAL DOCUMENTS 29

SECTION 108 TEMPORARY STRUCTURES AND USES..... 43

SECTION 109 FEES 43

SECTION 110 INSPECTIONS 45

SECTION 111 CERTIFICATE OF OCCUPANCY 57

SECTION 112 SERVICE UTILITIES 58

SECTION 113 BUILDING BOARD OF ADJUSTMENT AND APPEALS..... 59

SECTION 114 VIOLATIONS 62

SECTION 115 STOP WORK ORDER 63

SECTION 116 UNSAFE STRUCTURES AND EQUIPMENT 64

SECTION 117 VARIANCES IN FLOOD HAZARD AREAS 66

SECTION 118 WIND LOADS 67

SECTION 119 SEVERABILITY 67

SECTION 101 GENERAL

101.1 Title. These regulations shall be known as the *Florida Building Code*, hereinafter referred to as “this code.”

101.2 Scope. The provisions of this code shall apply to the construction, *Alteration*, relocation, enlargement, replacement, *Repair*, equipment, use and occupancy, location, maintenance, removal and demolition of every building or structure or any appurtenances connected or attached to such buildings or structures.

Exception:

1. Detached one- and two-family *Dwellings* and multiple single-family *Dwellings (Townhouses)* not more than three *Stories* above *Grade Plane* in height with a separate *Means Of Egress* and their accessory structures not more than three stories above grade plane in height, shall comply with the *Florida Building Code, Residential*.
2. Code Requirements that address snow loads and earthquake protection are pervasive; they are left in place but shall not be utilized or enforced because Florida has no snow load or earthquake threat.

101.2.1 Appendices. Provisions in the appendices shall not apply unless specifically adopted. Appendix “F,” in the Florida Building Code, Plumbing Volume, has been adopted as part of this chapter.

101.2.2 Florida Building Code, Residential Construction standards or practices which are not covered by Florida Building Code, Residential volume shall be in accordance with the provisions of Florida Building Code, Building.

101.3 Intent. The purpose of this code is to establish the minimum requirements to safeguard the public health, safety and general welfare through structural strength, *Means of Egress* facilities, stability, sanitation, adequate light and ventilation, energy conservation, and safety to life and property from fire and other hazards attributed to the built environment and to provide safety to fire fighters and emergency responders during emergency operations.

101.3.1 Quality control. Quality control of materials and workmanship is not within the purview of this code except as it relates to the purposes stated herein.

101.3.2 Warranty and Liability. The permitting, plan review or inspection of any building, system or plan by this jurisdiction, under the requirements of this code, shall not be construed in any court as a warranty of the physical condition of such building, system or plan or their adequacy. This jurisdiction

shall not be liable in tort for damages or hazardous or illegal condition or inadequacy in such building, system or plan, nor for any failure of any component of such, which may occur subsequent to such inspection or permitting. Further, no employee shall be liable in tort for damage from such conditions, in accordance with Section 768.28 Florida Statutes, as may be amended or replaced.

101.4 Referenced codes. The other codes listed in Sections 101.4.1 through 101.4.11 and referenced elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference.

101.4.1 Gas. The provisions of the *Florida Building Code, Fuel Gas* shall apply to the installation of gas piping from the point of delivery, gas appliances and related accessories as covered in this code. These requirements apply to gas piping systems extending from the point of delivery to the inlet connections of appliances and the installation and operation of residential and commercial gas appliances and related accessories.

101.4.2 Mechanical. The provisions of the *Florida Building Code, Mechanical* shall apply to the installation, alterations, repairs and replacement of mechanical systems, including equipment, appliances, fixtures, fittings and/or appurtenances, including ventilating, heating, cooling, air-conditioning and refrigeration systems, incinerators and other energy-related systems.

101.4.3 Plumbing. The provisions of the *Florida Building Code, Plumbing* shall apply to the installation, *Alteration*, repair and replacement of plumbing systems, including equipment, appliances, fixtures, fittings and appurtenances, and where connected to a water or sewage system and all aspects of a medical gas system.

101.4.4 Property maintenance. For provisions related to property maintenance, refer to the City of Boynton Beach Code of Ordinances, Chapter 10, Article IV.

101.4.5 Fire prevention. For provisions related to Florida Fire Prevention Code, refer to the *Florida Fire Prevention Code*. The *Florida Fire Prevention Code* shall apply to matters affecting or relating to structures, processes and premises from the hazard of fire and explosion arising from the storage, handling or use of structures, materials or devices; from conditions hazardous to life, property or public welfare in the occupancy of structures or premises; and from the construction, extension, *Repair*, *Alteration* or removal of fire suppression, *Automatic Sprinkler Systems* and alarm systems or fire hazards in the structure or on the premises from occupancy or operation.

101.4.6 Energy. The provisions of the *Florida Building Code, Energy Conservation* shall apply to all matters governing the design and construction of buildings for energy efficiency.

101.4.7 Existing buildings. The provisions of the *Florida Existing Building Code* shall apply to matters governing the *Repair*, *Alteration*, change of occupancy, *Addition* to and relocation of existing buildings.

101.4.8 Accessibility. For provisions related to accessibility, refer to the *Florida Building Code, Accessibility*.

101.4.9 Manufactured buildings. For additional administrative and special code requirements, see Section 458, *Florida Building Code. Building*, and Rule 61-41 *Florida Administrative Code*.

101.4.10 Electrical. The provisions of Chapter 27 of the Florida Building Code, Building Volume shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings and appurtenances thereto.

101.4.11 Flood Damage Prevention. City of Boynton Beach Land Development Regulations (LDR) shall be considered part of the requirements of this code relative to flood control. Conflicting requirements between the Florida Building Code and Chapter 4, Article X, Flood Prevention Requirements of the LDR shall be resolved in favor of the requirement that offers the greatest degree of flood damage prevention or alternatives that would provide an equivalent degree of flood damage prevention and an equivalent method of construction.

101.5 Building Official. Whenever, the Building Official is mentioned in the code, it is also intended to mean the Building Official’s designee, wherever applicable.

SECTION 102 APPLICABILITY

102.1 General. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable. Where, in any specific case, different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern.

102.1.1 The *Florida Building Code* does not apply to, and no code enforcement action shall be brought with respect to, zoning requirements, land use requirements and owner specifications or programmatic requirements which do not pertain to and govern the design, construction, erection, alteration, modification, repair or demolition of public or private buildings, structures or facilities or to programmatic requirements that do not pertain to enforcement of the *Florida Building Code*. Additionally, a local code enforcement agency may not administer or enforce the *Florida Building Code, Building* to prevent the sitting of any publicly owned facility, including, but not limited to, correctional facilities, juvenile justice facilities, or state universities, community colleges, or public education facilities, as provided by law.

102.2 Building. The provisions of the *Florida Building Code* shall apply to the construction, erection, alteration, modification, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every public and private building, structure or facility or floating residential structure, or any appurtenances connected or attached to such buildings, structures or facilities. Additions, alterations, repairs and changes of use or occupancy group in all buildings and structures shall comply with the provisions provided in the *Florida Building Code, Existing Building*. The following buildings, structures and facilities, except for those located in a Special Flood Hazard Area are exempt from the *Florida Building Code* as provided by law, and any further exemptions shall be as determined by the legislature and provided by law:

- (a) Building and structures specifically regulated and preempted by the federal government.
- (b) Railroads and ancillary facilities associated with the railroad.
- (c) Nonresidential farm buildings on farms.
- (d) Temporary buildings or sheds used exclusively for construction purposes.
- (e) Mobile or modular structures used as temporary offices, except that the provisions of Part II (Section 553.501-553.513, *Florida Statutes*) relating to accessibility by persons with disabilities shall apply to such mobile or modular structures. Permits shall be required for structural support and tie down, electric supply and all other such utility connections to such mobile or modular structures as required by this jurisdiction.
- (f) Those structures or facilities of electric utilities, as defined in Section 366.02, *Florida Statutes*, which are directly involved in the generation, transmission, or distribution of electricity.
- (g) Temporary sets, assemblies, or structures used in commercial motion picture or television production, or any sound-recording equipment used in such production, on or off the premises.
- (h) Chickees constructed by the Miccosukee Tribe of Indians of Florida or the Seminole Tribe of Florida. As used in this paragraph, the term “chickee” means an open-sided wooden hut that has a thatched roof of palm or palmetto or other traditional materials, and that does not incorporate any electrical, plumbing, or other non-wood features.
- (i) Family mausoleums not exceeding 250 square feet (23 m²) in area which are prefabricated and assembled on site or preassembled and delivered on site and have walls, roofs, and a floor constructed of granite, marble, or reinforced concrete.
- (j) Temporary housing provided by the Department of Corrections to any prisoner in the state correctional system.
- (k) A building or structure having less than 1,000 square feet (93 m²) which is constructed and owned by a natural person for hunting and which is repaired or reconstructed to the same dimension and condition as existed on January 1, 2011, if the building or structure:
 - 1. Is not rented or leased or used as a principal residence;

2. Is not located within the 100-year floodplain according to the Federal Emergency Management Agency's current Flood Insurance Rate Map; and
3. Is not connected to an off-site electric power or water supply.

(l) Service providers of water, sewer, storm, gas, cable, telephone, or other similar utility systems are exempt to the point of service connection for the building or structure.

102.2.1 In addition to the requirements of Section 553.79 and 553.80, *Florida Statutes*, facilities subject to the provisions of Chapter 395, *Florida Statutes*, and Part II of Chapter 400, *Florida Statutes*, shall have facility plans reviewed and construction surveyed by the state agency authorized to do so under the requirements of Chapter 395, *Florida Statutes*, and Part II of Chapter 400, *Florida Statutes*, and the certification requirements of the federal government.

102.2.2 Residential buildings or structures moved into or within a county or municipality shall not be required to be brought into compliance with the state minimum building code in force at the time the building or structure is moved, provided:

1. The building or structure is structurally sound and in occupiable condition for its intended use;
 2. The occupancy use classification for the building or structure is not changed as a result of the move;
 3. The building is not substantially remodeled;
4. Current fire code requirements for ingress and egress are met;
 5. Electrical, gas and plumbing systems meet the codes in force at the time of construction and are operational and safe for reconnection; and
 6. Foundation plans are sealed by a professional engineer or architect licensed to practice in this state, if required by the *Florida Building Code*, Building for all residential buildings or structures of the same occupancy class.
 7. The requirements of Florida Building Code, Existing Building Volume, are also satisfied.

102.2.3 The *Building Official* shall apply the same standard to a moved residential building or structure as that applied to the remodeling of any comparable residential building or structure to determine whether the moved structure is substantially remodeled. The cost of the foundation on which the moved building or structure is placed shall not be included in the cost of remodeling for purposes of determining whether a moved building or structure has been substantially remodeled.

102.2.4 This section does not apply to the jurisdiction and authority of the Department of Agriculture and Consumer Services to inspect amusement rides or the Department of Financial Services to inspect state-owned buildings and boilers.

102.2.5 Each enforcement district shall be governed by a board, the composition of which shall be determined by the affected localities.

1. At its own option, each enforcement district or local enforcement agency may adopt rules granting to the owner of a single-family residence one or more exemptions from the Florida Building Code relating to:

a. Addition, alteration, or repairs performed by the property owner upon his or her own property, provided any addition or alteration shall not exceed 1,000 square feet (93 m²) or the square footage of the primary structure, whichever is less.

b. Addition, alteration, or repairs by a non-owner within a specific cost limitation set by rule, provided the total cost shall not exceed \$5,000 within any 12-month period.

c. Building and inspection fees.

2. However, the exemptions under subparagraph 1 do not apply to single-family residences that are located in mapped flood hazard areas, as defined in the code, unless the enforcement district or local enforcement agency has determined that the work, which is otherwise exempt, does not constitute a substantial improvement, including the repair of substantial damage, of such single-family residences.

3. Each code exemption, as defined in sub-subparagraphs 1a, 1b, and 1c shall be certified to the local board 10 days prior to implementation and shall only be effective in the territorial jurisdiction of the enforcement district or local enforcement agency implementing it.

4. However, each enforcement district or local enforcement agency may establish an alternative permitting program for replacing nonstructural components of building systems in a residential dwelling unit. A licensed contractor performing such work for the resident shall also be exempt from individual permits and inspections if either the owner or the licensed contractor obtains a valid Annual Permit per Section 105.1.1 of this code and all such work is reported as required in Section 105.1.2 of this code for compliance evaluation. No added capacity, system expansion or new building work of any type shall be excluded from individual permit and inspection by this provision.

102.2.6 This section does not apply to swings and other playground equipment accessory to a one- or two-family dwelling.

Exception: Electrical service to such playground equipment shall be in accordance with Chapter 27 of this code.

102.3 Application of references. References to chapter or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such chapter, section or provision of this code.

102.4 Referenced codes and standards. The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference and as further regulated in Sections 102.4.1 and 102.4.2.

102.4.1 Conflicts. Where conflicts occur between provisions of this code and referenced codes and standards, the provisions of this code shall apply.

102.4.2 Provisions in referenced codes and standards. Where the extent of the reference to a referenced code or standard includes subject matter that is within the scope of this code or the Florida Codes listed in Section 101.4, the provisions of this code or the Florida Codes listed in Section 101.4, as applicable, shall take precedence over the provisions in the referenced code or standard.

102.5 Partial invalidity. In the event that any part or provision of this code is held to be illegal or void, this shall not have the effect of making void or illegal any of the other parts or provisions.

102.6 Existing structures. The legal occupancy of any structure existing on the date of adoption of this code shall be permitted to continue without change, except as is specifically covered in this code, the *Florida Building Code, Existing Building*, the *Florida Fire Prevention Code*, and **101.4. 4 Property maintenance**. For provisions related to property maintenance, refer to the City of Boynton Beach Code of Ordinances, Chapter 10, Article IV.

102.6.1 Buildings not previously occupied. A building or portion of a building that has not been previously occupied or used for its intended purpose in accordance with the laws in existence at the time of its completion shall comply with the provisions of the *Florida Building Code* or *Florida Residential Code*, as applicable, for new construction or with any current permit for such occupancy.

102.6.2 Buildings previously occupied. The legal occupancy of any building existing on the date of adoption of this code shall be permitted to continue without change, except as otherwise specifically provided in this code, the *Florida Fire Prevention Code*, and **101.4. 4 Property maintenance**. For provisions related to property maintenance, refer to the City of Boynton Beach Code of Ordinances, Chapter 10, Article IV, or as is deemed necessary by the *Building Official* for the general safety and welfare of the occupants and the public.

102.7 Relocation of manufactured buildings.

(1) Relocation of an existing manufactured building does not constitute an alteration.

(2) A relocated building shall comply with wind speed requirements of the new location, using the appropriate wind speed map. If the existing building was manufactured in compliance with the Standard Building Code (prior to March 1, 2002), the wind speed map of the Standard Building Code shall be applicable. If the existing building was manufactured in compliance with the *Florida Building Code* (after March 1, 2002), the wind speed map of the *Florida Building Code* shall be applicable.

(3) A relocated building shall comply with the flood hazard area requirements of the new location, if applicable.

102.8 Existing mechanical equipment. An agency or local government may not require that existing mechanical equipment located on or above the surface of a roof be installed in compliance with the requirements of the Florida Building Code except during reroofing when the equipment is being replaced or moved during reroofing and is not in compliance with the provisions of the Florida Building Code relating to roof-mounted mechanical units.

PART 2—ADMINISTRATION AND ENFORCEMENT

SECTION 103 DIVISION OF BUILDING SAFETY

103.1 Creation of enforcement agency. The Division of Building Safety is hereby created and the official in charge thereof shall be known as the *Building Official Or Building Code Administrator*.

103.2 Appointment. The *Building Official* shall be appointed by the chief appointing authority of the jurisdiction.

103.3 Deputies. In accordance with the prescribed procedures of this jurisdiction and with the concurrence of the appointing authority, the *Building Official* shall have the authority to appoint a deputy *Building Official*, the related technical officers, inspectors, plan examiners and other employees. Such employees shall have powers as delegated by the *Building Official*.

For the maintenance of existing properties, see **101.4.4 Property maintenance**. For provisions related to property maintenance, refer to the City of Boynton Beach Code of Ordinances, Chapter 10, Article IV.

103.4 Restrictions on employees. (Reserved).

SECTION 104 DUTIES AND POWERS OF THE BUILDING OFFICIAL

104.1 General. The *Building Official* is hereby authorized and directed to enforce the provisions of this code. The *Building Official* shall have the authority to render interpretations of this code and to adopt policies and procedures in order to clarify the application of its provisions. Such interpretations, policies and procedures shall be in compliance with the intent and purpose of this code. Such policies and procedures shall not have the effect of waiving requirements specifically provided for in this code.

104.2 Applications and permits. The *Building Official* shall receive applications, review *Construction Documents* and issue *Permits* for the erection, and *Alteration*, demolition and moving of buildings and

structures, and service systems, inspect the premises for which such *Permits* have been issued and enforce compliance with the provisions of this code.

104.2.1 Determination of substantially improved or substantially damaged existing buildings and structures in flood hazard areas. For applications for reconstruction, rehabilitation, *Repair, Alteration, Addition* or other improvement of existing buildings or structures located in *Flood Hazard Areas*, the *Building Official* shall determine if the proposed work constitutes substantial improvement or *Repair of Substantial Damage*. Where the *Building Official* determines that the proposed work constitutes *Substantial Improvement* or *Repair of Substantial Damage*, and where required by this code, the *Building Official* shall require the building to meet the requirements of Section 1612 and Section R322.

104.3 Notices and orders. The *Building Official* shall issue all necessary notices or orders to ensure compliance with this code.

104.4 Inspections. The *Building Official* shall make all of the required inspections, or the *Building Official* shall have the authority to accept reports of inspection by *approved agencies* or individuals. Reports of such inspections shall be in writing and be certified by a responsible officer of such *approved agency* or by the responsible individual. The *Building Official* is authorized to engage such expert opinion as deemed necessary to report upon unusual technical issues that arise, subject to the approval of the appointing authority.

104.5 Identification. The *Building Official* shall carry proper identification when inspecting structures or premises in the performance of duties under this code.

104.6 Right of entry. Where it is necessary to make an inspection to enforce the provisions of this code, or where the *Building Official* has reasonable cause to believe that there exists in a structure or upon a premises a condition which is contrary to or in violation of this code which makes the structure or premises unsafe, dangerous or hazardous, the *Building Official* is authorized to enter the structure or premises at reasonable times to inspect or to perform the duties imposed by this code, provided that if such structure or premises be occupied that credentials be presented to the occupant and entry requested. If such structure or premises is unoccupied, the *Building Official* shall first make a reasonable effort to locate the owner or other person having charge or control of the structure or premises and request entry. If entry is refused, the *Building Official* shall have recourse to the remedies provided by law to secure entry.

104.6.2 When the Building Official obtains a proper inspection warrant or other remedy provided by law to secure entry, no owner or occupant or any other persons having charge, care or control of any building, structure, or premises shall fail or neglect, after proper request is made as herein provided, to promptly permit entry therein by the Building Official for the purpose of inspection and examination pursuant to this code.

104.7 Division of records. The *Building Official* shall keep official records of applications received, *Permits* and certificates issued, fees collected, reports of inspections, and notices and orders issued. Such records shall be retained in the official records for the period required for retention of public records per FS 119.

104.8 Liability. The *Building Official*, member of the board of appeals or employee charged with the enforcement of this code, while acting for the jurisdiction in good faith and without malice in the discharge of the duties required by this code or other pertinent law or ordinance, shall not thereby be civilly or criminally rendered liable personally and is hereby relieved from personal liability for any damage accruing to persons or property as a result of any act or by reason of an act or omission in the discharge of official duties. Any suit instituted against an officer or employee or board member because of an act performed by that officer or employee or board member in the lawful discharge of duties and under the provisions of this code shall be defended by legal representative of the jurisdiction until the final termination of the proceedings. The *Building Official* or any subordinate shall not be liable for cost in any action, suit or proceeding that is instituted in pursuance of the provisions of this code.

104.8.1 Legal defense. Any suit or criminal complaint instituted against an officer or employee or board member of an act performed by that officer or employee or board member in the lawful discharge of duties and under the provisions of this code shall be defended by legal representatives of the jurisdiction until the final termination of the proceedings. The *Building Official* or any subordinate shall not be liable for cost in any action, suit or proceeding that is instituted in pursuance of the provisions of this code.

104.9 Approved materials and equipment. Materials, equipment and devices *Approved* by the *Building Official* shall be constructed and installed in accordance with such approval.

104.9.1 Used materials and equipment. The use of used materials which meet the requirements of this code for new materials is permitted. Used equipment and devices shall not be reused unless *Approved* by the *Building Official*.

104.10 Modifications. Wherever there are practical difficulties involved in carrying out the provisions of this code, the *Building Official* shall have the authority to grant modifications for individual cases, upon application of the owner or owner's representative, provided the *Building Official* shall first find that special individual reason makes the strict letter of this code impractical and the modification is in compliance with the intent and purpose of this code and that such modification does not lessen health, accessibility, life and fire safety, or structural requirements. The details of action granting modifications shall be recorded and entered in the files of the division of building safety.

104.10.1 Flood hazard areas. The *Building Official* shall coordinate with the floodplain administrator to review requests submitted to the *Building Official* that seek approval to modify the strict application of the flood resistant construction requirements of the *Florida Building Code* to determine whether such requests require the granting of a variance pursuant to Section 117.

104.11 Alternative materials, design and methods of construction and equipment. The provisions of this code are not intended to prevent the installation of any material or to prohibit any design or method of construction not specifically prescribed by this code, provided that any such alternative has been

Approved. An alternative material, design or method of construction shall be *Approved* where the *Building Official* finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, not less than the equivalent of that prescribed in this code in quality, strength, effectiveness, *Fire Resistance*, durability and safety. Where the alternative material, design or method of construction is not *Approved*, the *Building Official* shall respond in writing, stating the reasons why the alternative was not *Approved*.

104.11.1 Research reports. Supporting data, where necessary to assist in the approval of materials or assemblies not specifically provided for in this code, shall consist of valid research reports from *Approved* sources.

104.11.2 Tests. Whenever there is insufficient evidence of compliance with the provisions of this code, or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternative materials or methods, the *Building Official* shall have the authority to require tests as evidence of compliance to be made at no expense to the jurisdiction. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the *Building Official* shall approve the testing procedures. Tests shall be performed by an *Approved Agency*. Reports of such tests shall be retained by the *Building Official* for the period required for retention of public records.

104.12 Requirements not covered by code. Any requirements necessary for strength, stability or proper operation of an existing or proposed building, structure, electrical, gas, mechanical or plumbing system, or for the public safety, health and general welfare, not specifically covered by this or other technical codes, shall be determined by the *Building Official*.

SECTION 105 PERMITS

105.1 Required. Any contractor, owner or owner's authorized agent in accordance with Florida Statute Chapter 489 who intends to construct, enlarge, alter, repair, move, demolish, or change the occupancy of a building, tenancy or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any impact-resistant coverings, electrical, gas, mechanical or plumbing, fire protection systems, accessible elements, flood resistant elements, site drainage elements, the installation of which is regulated by this code or Part III, Chapter 2, Article IV of the BBFL Code of Ordinance, or to cause any such work to be done, shall first make application to the Building Official and obtain the required permit(s).

105.1.1 Annual facility permit. In lieu of an individual *Permit* for each *Alteration* to an *Existing* electrical, gas, mechanical or plumbing or interior nonstructural office system(s), the *Building Official* is authorized to issue an annual *Permit* for any occupancy to facilitate routine or emergency service, repair, refurbishing, minor renovations of service systems or manufacturing equipment installations/relocations. The *Building Official* shall be notified of major changes and shall retain the right to make inspections at the facility site as deemed necessary. An annual facility permit shall be assessed with an annual fee and shall be valid for one year from date of issuance. A separate permit

shall be obtained for each facility and for each construction trade, as applicable. The permit application shall contain a general description of the parameters of work intended to be performed during the year.

105.1.2 Annual Facility permit records. The person to whom an annual *Permit* is issued shall keep a detailed record of *Alterations* made under such annual *Permit*. The *Building Official* shall have access to such records at all times or such records shall be filed with the *Building Official* as designated. The Building Official is authorized to revoke such permit, if code violations are found to exist.

105.1.3 Food permit. In accordance with 500.12, *Florida Statutes*, a food permit from the Department of Agriculture and Consumer Services is required of any person who operates a food establishment or retail store.

105.1.4 Public swimming pool. The local enforcing agency may not issue a building permit to construct, develop, or modify a public swimming pool without proof of application, whether complete or incomplete, for an operating permit pursuant to Section 514.031, Florida Statutes. A certificate of completion or occupancy may not be issued until such operating permit is issued. The local enforcing agency shall conduct their review of the building permit application upon filing and in accordance with Chapter 553, Florida Statutes. The local enforcing agency may confer with the Department of Health, if necessary, but may not delay the building permit application review while awaiting comment from the Department of Health.

105.2 Work exempt from permit. Exemptions from *Permit* requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws or ordinances of this jurisdiction, to include work in any special flood hazard area. Exemptions granted under this section do not relieve the owner or contractor from their duty to comply with applicable provisions of the Florida Building Code, and requirements of the *Local Floodplain Management Ordinance*. As Determined by The Building Official, *Permits* shall not be required for the following:

Building:

1. Building permits are not required for replacement or repair work having a value of less than \$1,000.00, providing, however, that such work will not adversely affect the structural integrity, fire rating, exit access or egress requirements.
2. Painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work, with no electrical or plumbing work.
3. Temporary motion picture, television and theater sets and scenery.

4. Traditional swings and other standard playground equipment accessory to detached one- and two-family dwellings, but they may be subject to Zoning permits.
5. Retractable awnings supported by an exterior wall and do not require additional support of Groups R-3 and U occupancies, but they may be subject to Zoning permits.
6. In the case of roofing repairs, a permit may not be required for work having a value of less than \$500, unless such work effects the structural integrity of the roof.
7. The installation of one (1) accessory building (tool shed, etc.) per single family residence/lot, with the accessory building having a size less than or equal to 100 square feet.

Electrical:

Repairs and maintenance: Minor repair work, including the replacement of lamps or the connection of *Approved* portable electrical equipment to *Approved* permanently installed receptacles.

Radio and television transmitting stations: The provisions of this code shall not apply to electrical equipment used for radio and television transmissions, but do apply to equipment and wiring for a power supply and the installations of towers and antennas, except as exempted by Florida Statute Chapter 489.503(14).

Temporary testing systems: A *Permit* shall not be required for the installation of any temporary system required for the testing or servicing of electrical equipment or apparatus.

Gas:

1. Portable heating appliance.
2. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

Mechanical:

1. Portable heating appliance.
2. Portable ventilation equipment.
3. Portable cooling unit.

4. Steam, hot or chilled water piping within any heating or cooling equipment regulated by this code.
5. Replacement of any part that does not alter its approval or make it unsafe.
6. Portable evaporative cooler.
7. Portable self-contained refrigeration system containing 10 pounds (5 kg) or less of refrigerant and actuated by motors of 1 horsepower (746 W) or less.
8. The installation, replacement, removal or metering of any electrical load management control device where installed by a utility service provider.

Plumbing:

1. The stopping of leaks in drains, water, soil, waste or vent pipe, provided, however, that if any concealed trap, drain pipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a *permit* shall be obtained and inspection made as provided in this code.
2. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.
3. The replacement of common household plumbing fixtures to existing supply lines and outlets in 1&2 Family Dwellings. This does not include water heaters, bathtubs, or showers.

105.2.1 Emergency repairs. Where equipment replacements and repairs must be performed in an emergency situation, the *Permit* application shall be submitted within the next working business day to the *Building Official*. Notification shall be given to the Building Official, including the work address, nature of emergency, and scope of work immediately, or by the next business day.

105.2.2. Minor repairs. Ordinary minor repairs may be made with the approval of the *Building Official* without a permit, provided the repairs shall not include the cutting away of any wall, partition or portion thereof, the removal or cutting of any structural beam or load-bearing support, or the removal or change of any required *Means Of Egress*, or rearrangement of parts of a structure affecting the egress requirements; nor shall ordinary repairs include *Addition* to, *Alteration* of, replacement or relocation of any standpipe, water supply, sewer, drainage, drain leader, gas, soil, waste, vent or similar piping, electric wiring systems or mechanical equipment or other work affecting public health or general safety, and such repairs shall not violate any of the provisions of the technical codes.

105.2.3 Public service agencies. A *Permit* shall not be required for the installation, *Alteration* or repair of generation, transmission, distribution or metering or other related equipment that is under the ownership and control of public service agencies by established right.

105.3 Application for permit. To obtain a *Permit*, the applicant shall first file an application therefore in writing on a form furnished by the Division of Building Safety for that purpose.

Permit application forms shall be in the format prescribed by a local administrative board, if applicable, and must comply with the requirements of Section 713.135(5) and (6), *Florida Statutes*. Each application shall be inscribed with the date of application, and the code in effect as of that date. For a building permit for which an application is submitted prior to the effective date of the *Florida Building Code*, the state minimum building code in effect in the permitting jurisdiction on the date of the application governs the permitted work for the life of the permit and any extension granted to the permit.

Effective October 1, 2017, a local enforcement agency shall post each type of building permit application on its website. Completed applications must be able to be submitted electronically to the appropriate division of building safety. Accepted methods of electronic submission include, but are not limited to, e-mail submission of applications in portable document format or submission of applications through an electronic fill-in form available on the division of building safety's website or through a third-party submission management software. Payments, attachments, or drawings required as part of the permit application may be submitted in person in a non-electronic format, at the discretion of the *Building Official*.

105.3.1 Action on application. The *Building Official* shall examine or cause to be examined applications for *Permits* and amendments thereto within a reasonable time after filing. If the application or the *Construction Documents* do not conform to the requirements of pertinent laws, the *Building Official* shall reject such application in writing, stating the reasons therefore. If the *Building Official* is satisfied that the proposed work conforms to the requirements of this code and laws and ordinances applicable thereto, the *Building Official* shall issue a *Permit* therefore as soon as practicable. When authorized through contractual agreement with a school board, in acting on applications for permits, the *Building Official* shall give first priority to any applications for the construction of, or addition or renovation to, any school or educational facility.

105.3.1.1 If a state university, Florida college or public school district elects to use a local government's code enforcement offices, fees charged by counties and municipalities for enforcement of the *Florida Building Code* on buildings, structures, and facilities of state universities, state colleges, and public school districts shall not be more than the actual labor and administrative costs incurred for plans review and inspections to ensure compliance with the code.

105.3.1.2 No permit may be issued for any building construction, erection, alteration, modification, repair, or addition unless the applicant for such permit provides to the enforcing agency which issues the permit any of the following documents which apply to the construction for which the permit is to be issued and which shall be prepared by or under the direction of an engineer registered under Chapter 471, *Florida Statutes*:

1. Plumbing documents for any new building or addition which requires a plumbing system with more than 250 fixture units or which costs more than \$125,000.

2. Fire sprinkler documents for any new building or addition which includes a fire sprinkler system which contains 50 or more sprinkler heads. Personnel as authorized by chapter 633 *Florida Statutes*, may design a fire sprinkler system of 49 or fewer heads and may design the alteration of an existing fire sprinkler system if the alteration consists of the relocation, addition or deletion of not more than 49 heads, notwithstanding the size of the existing fire sprinkler system.

3. Heating, ventilation, and air-conditioning documents for any new building or addition which requires more than a 15-ton-per-system capacity which is designed to accommodate 100 or more persons or for which the system costs more than \$125,000. This paragraph does not include any document for the replacement or repair of an existing system in which the work does not require altering a structural part of the building or for work on a residential one, two, three or four-family structure.

An air-conditioning system may be designed by an installing air-conditioning contractor certified under Chapter 489, *Florida Statutes*, to serve any building or addition which is designed to accommodate fewer than 100 persons and requires an air-conditioning system with a value of \$125,000 or less; and when a 15-ton-per system or less is designed for a singular space of a building and each 15-ton system or less has an independent duct system. Systems not complying with the above require design documents that are to be sealed by a professional engineer.

Example 1: When a space has two 10-ton systems with each having an independent duct system, the contractor may design these two systems since each unit (system) is less than 15 tons.

Example 2: Consider a small single-story office building which consists of six individual offices where each office has a single three-ton package air conditioning heat pump. The six heat pumps are connected to a single water cooling tower. The cost of the entire heating, ventilation and air-conditioning work is \$47,000 and the office building accommodates fewer than 100 persons. Because the six mechanical units are connected to a common water tower this is considered to be an 18-ton system.

NOTE: It was further clarified by the Commission that the limiting criteria of 100 persons and \$125,000 apply to the building occupancy load and the cost for the total air-conditioning system of the building.

4. Any specialized mechanical, electrical, or plumbing document for any new building or addition which includes a medical gas, oxygen, steam, vacuum, toxic air filtration, halon, or fire detection and alarm system which costs more than \$5,000.

5. Electrical documents. (See Florida Statutes, Section 471.003(2)(h)). Any electrical or plumbing or air conditioning and refrigeration system meeting the following thresholds are required to be designed by a Florida Registered Engineer. Any system which:

1. Requires an electrical or plumbing or air-conditioning and refrigeration system with a value greater than \$125,000; and
- 2.a. Requires an aggregate service capacity of greater than 600 amperes (240 volts) on a residential electrical system or greater than 800 amperes (240 volts) on a commercial or industrial electrical system;
- b. Requires a plumbing system with more than 250 fixture units; or
- c. Requires a heating, ventilation, and air-conditioning system which exceeds a 15-ton-per-system capacity, or if the project is designed to accommodate more than 100 persons.

Documents requiring an engineer seal by this part shall not be valid unless a professional engineer who possesses a valid certificate of registration has signed, dated, and stamped such document as provided in Section 471.025, *Florida Statutes*.

6. All public swimming pools and public bathing places defined by and regulated under Chapter 514, Florida Statutes

105.3.2 Time limitation of application. An application for a *Permit* for any proposed work shall be deemed to have been abandoned becoming null and void 180 days after the date of filing, or for any 6 months (180 days) period of abandonment or suspension during the application process, unless such application has been pursued in good faith or a *Permit* has been issued; except that the *Building Official* is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing prior to the abandonment date, with justifiable cause demonstrated. Abandoned applications shall be subject to destruction in accordance with state law. The fee for renewal, re-issuance, and extension of a permit application shall be set forth by the administrative authority. There may be fees or requirements from other government agencies for permit application extensions and renewals.

105.3.3 An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county, such as the requirement for Home or Property Owners Association approval, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies."

105.3.4 A building permit for a single-family residential dwelling must be issued within 30 working days of application therefore unless unusual circumstances require a longer time for processing the

application or unless the permit application fails to satisfy the *Florida Building Code* or the enforcing agency's laws or ordinances.

105.3.5 Identification of minimum premium policy. Except as otherwise provided in Chapter 440, *Florida Statutes*, Workers' Compensation, every employer shall, as a condition to receiving a building permit, show proof that it has secured compensation for its employees as provided in Section 440.10 and 440.38, *Florida Statutes*.

105.3.6 Asbestos removal contractor exemption. Refer to Section 105.9 for additional requirements. A licensed asbestos removal contractor is not required when moving, removal or disposal of asbestos-containing materials on a residential building where the owner occupies the building, the building is not for sale or lease, and the work is performed according to the owner-builder limitations provided in this paragraph. To qualify for exemption under this paragraph, an owner must personally appear and sign the building permit application. The permitting agency shall provide the person with a disclosure statement in substantially the following form:

Disclosure Statement: State law requires asbestos abatement to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own asbestos abatement contractor even though you do not have a license. You must supervise the construction yourself. You may move, remove or dispose of asbestos-containing materials on a residential building where you occupy the building and the building is not for sale or lease, or the building is a farm outbuilding on your property. If you sell or lease such building within 1 year after the asbestos abatement is complete, the law will presume that you intended to sell or lease the property at the time the work was done, which is a violation of this exemption. You may not hire an unlicensed person as your contractor. Your work must be done according to all local, state and federal laws and regulations which apply to asbestos abatement projects. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances.

105.3.7 Applicable Code for Manufactured Buildings. Manufacturers should be permitted to complete all buildings designed and approved prior to the effective date of a new code edition, provided a clear signed contract is in place. The contract shall provide specific data mirroring that required by an application for permit, specifically, without limitation, date of execution, building owner or dealer, and anticipated date of completion. However, the construction activity must commence within 6 months of the contract's execution. The contract is subject to verification by the Department of Business and Professional Regulation.

105.3.8 Public right of way. A permit shall not be issued by the Building Official for the construction, alteration, or relocation of any building, structure, or system impacting any street, alley or public lane, unless the applicant has received a right of way permit from the authority having jurisdiction over the right of way.

105.4 Conditions of the permit. The issuance or granting of a *Permit* shall not be construed to be a *Permit* for, or an approval of, any violation of any of the provisions of this code or of any other ordinance of any other federal, state and local laws, ordinances, codes and regulations. *Permits* presuming to give authority to violate or cancel the provisions of this code or other ordinances of any other federal, state and local laws, ordinances, codes and regulations shall not be valid. The issuance of a *Permit* based on *Construction Documents* and other data shall not prevent the *Building Official* from requiring the correction of errors in the *Construction Documents* and other data. The *Building Official* is also authorized to prevent occupancy or use of a structure where in violation of this code or of any other ordinances of this jurisdiction or of any other federal, state and local laws, ordinances, codes and regulations.

105.4.1 Permit intent. A permit issued shall be construed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the *Building Official* from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months (180 Days) after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months (180 Days) after the time the work is commenced.

105.4.1.1 If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

105.4.1.2 If a new permit, or revalidation (renewal) of the original permit, is not obtained within six months (180 days) from the date the initial permit became null and void, the *Building Official* is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date of issuance of the new permit.

105.4.1.3 Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process, or due to action by an environmental or archeological agency having jurisdiction. The *Building Official* is authorized to grant, in writing, one or more extensions of time, for periods not more than 3 months each. The extension shall be requested in writing and justifiable cause demonstrated, prior to expiration.

105.4.1.4 The fee for renewal, reissuance and extension of a permit shall be set forth by the administrative authority. There may be fees or requirements from other government agencies for permit extensions and renewals.

105.5 Expiration. Every permit issued shall become inactive or expired pursuant to Section 105.4.1 of this code, and shall be renewed pursuant to Section 105.4.1.1 of this code before the work may resume. Permits that remain inactive or expired for more than six months (180 Days) shall lose all rights vested in the permit pursuant to Section 105.4.1.2 of this code. In order to complete the work authorized under a permit which has lost all vested rights, the permit holder and property owner shall be responsible to either remove the work from the site or obtain a new permit to complete all work in accordance with the current code requirements and approved permitted plans. Inspections performed and accepted prior to expiration may be accepted subject to the discretion of the Building Official.

105.5.1 Additional options for closing a permit. Pursuant to Section 553.79(15), Florida Statutes, a property owner, regardless of whether the property owner is the one listed on the application for the building permit, may close a building permit by complying with the following requirements:

1.) The property owner may retain the original contractor listed on the permit or hire a different contractor appropriately licensed in this state to perform the work necessary to satisfy the conditions of the permit and to obtain any necessary inspection in order to close the permit. If a contractor other than the original contractor listed on the permit is hired by the property owner to close the permit, such contractor is not liable for any defects in the work performed by the original contractor and is only liable for the work that he or she performs.

2.) The property owner may assume the role of an owner-builder, in accordance with Sections 489.103(7) and 489.503(6), Florida Statutes.

3.) If a building permit is expired and its requirements have been substantially completed and no life safety issues exist as determined by the local enforcement agency, the permit may be closed without having to obtain a new building permit, and the work required to close the permit may be done pursuant to the building code in effect at the time the local enforcement agency received the application for the permit, unless the contractor has sought and received approval from the local enforcement agency for an alternative material, design or method of construction.

4.) A local enforcement agency may close a building permit 6 years after the issuance of the permit, even in the absence of a final inspection, if the local enforcement agency determines that no apparent safety hazard exists.

105.5.1.1 For purposes of this section, the term “close” means that the requirements of the permit have been satisfied.

105.5.1.2 For the purposes of this subsection, an open permit shall mean a permit that has not satisfied all requirements for completion as listed in Section 110.

105.5.2 Responsibility to Close Permits. Closing out or resolving open or expired permits shall be the responsibility of the permit applicant and the property owner. Failure to close out or resolve open permits may result in a referral of the matter to the Florida Department of Business and Professional

Regulations - Construction Industry Licensing Board (CILB) or Palm Beach County Construction Industry Licensing Board (CILB), as applicable, and the Boynton Beach Community Standards Division.

105.6 Denial or revocation. Whenever a permit required under this section is denied or revoked because the plan, or the construction, erection, alteration, modification, repair, or demolition of a building, is found by the local enforcing agency to be not in compliance with the Florida Building Code, the local enforcing agency shall identify the specific plan or project features that do not comply with the applicable codes, identify the specific code chapters and sections upon which the finding is based, and provide this information to the permit applicant. If the local building code administrator or inspector finds that the plans are not in compliance with the Florida Building Code, the local building code administrator or inspector shall identify the specific plan features that do not comply with the applicable codes, identify the specific code chapters and sections upon which the finding is based, and provide this information to the local enforcing agency. The local enforcing agency shall provide this information to the permit applicant.

105.6.1 Arm's Length-Purchaser - Pursuant to Section 553.79(16), Florida Statutes, a local enforcement agency may not deny issuance of a building permit to; issue a notice of violation to; or fine, penalize sanction or assess fees against an arm's-length purchaser of a property for value solely because a building permit applied for by a previous owner of the property was not closed. The local enforcement agency shall maintain all rights and remedies against the property owner and contractor listed on the permit.

105.6.2 Discipline. Pursuant to Section 553.79(16), Florida Statutes, a local enforcement agency may not deny issuance of a building permit to a contractor solely because the contractor is listed on other building permits that were not closed. However, the Building Official may elect to refer violations to the appropriate licensing authority for potential discipline.

105.6.3 Misrepresentation of application. The Building Official may revoke a permit or approval, issued under the provisions of this code, when there has been any false statement or misrepresentation as to the material fact in the application or plans on which the permit or approval was based.

105.6.4 Violation of code provisions. The Building Official may require correction or revoke the permit upon determination by the Building Official that the construction, erection, alteration, repair, moving, demolition, installation, or replacement of the building, structure, electrical, gas, mechanical or plumbing systems for which the permit was issued is in violation of, or not in conformity with, the provisions of this code.

105.7 Placement of permit. The building *Permit* or copy shall be kept on the site of the work until the completion of the project.

105.8 Notice of commencement. In accordance with Section 713.135, *Florida Statutes*, when any person applies for a building permit, the authority issuing such permit shall print on the face of each permit card in no less than 14-point, capitalized, boldfaced type: **“WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR**

PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.”

105.9 Asbestos. The enforcing agency shall require each building permit for the demolition or renovation of an existing structure to contain an asbestos notification statement which indicates the owner’s or operator’s responsibility to comply with the provisions of Section 469.003, *Florida Statutes*, and to notify the Department of Environmental Protection of his or her intentions to remove asbestos, when applicable, in accordance with state and federal law. Refer to Section 105.3.6 “Asbestos Removal Contractor Exemption” of this code for additional requirements.

105.10 Certificate of protective treatment for prevention of termites. A weather-resistant job-site posting board shall be provided to receive duplicate treatment certificates as each required protective treatment is completed, providing a copy for the person the permit is issued to and another copy for the building permit files. The treatment certificate shall provide the product used, identity of the applicator, time and date of the treatment, site location, area treated, chemical used, percent concentration and number of gallons used, to establish a verifiable record of protective treatment. If the soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval. For a bait system, see Section 1816.1.7 of the Florida Building Code for contract document requirements.

105.11 Notice of termite protection. A permanent sign which identifies the termite treatment provider and need for reinspection and treatment contract renewal shall be provided. The sign shall be posted near the water heater or electric panel.

105.12 Work starting before permit issuance. Upon written request and approval of the *Building Official*, the scope of work delineated in the building permit application and plan may be started prior to the final approval and issuance of the permit, provided any work completed is entirely at risk of the permit applicant and the work does not proceed past the first required inspection. This provision only applies to the Florida Building Code, all other agency approvals necessary for construction must be secured prior to this provision being applied.

105.13 Phased permit approval. After submittal of the appropriate construction documents, the *Building Official* is authorized to issue a permit for the construction of foundations or any other part of a building or structure before the construction documents for the whole building or structure have been submitted. The holder of such permit for the foundation or other parts of a building or structure shall proceed at the holder’s own risk with the building operation and without assurance that a permit for the entire structure will be granted. Corrections may be required to meet the requirements of the technical codes. This provision only applies to the Florida Building Code, all other agency approvals necessary for construction must be secured prior to this provision being applied.

105.14 Permit issued on basis of an affidavit. The Building Official may accept a sworn affidavit from a registered architect or engineer stating that the plans submitted conform to the technical codes. For

buildings and structures, the affidavit shall state that the plans conform to the laws as to egress, type of construction and general arrangement and, if accompanied by drawings, show the structural design and that the plans and design conform to the requirements of the technical codes as to strength, stresses, strains, loads and stability. Whenever a permit is issued in reliance upon an affidavit or whenever the work to be covered by a permit involves installation under conditions which, in the opinion of the *Building Official*, are hazardous or complex, the *Building Official* shall require that the architect or engineer who signed the affidavit or prepared the drawings or computations shall supervise such work. In addition, they shall be responsible for conformity to the permit, provide copies of inspection reports as inspections are performed, and upon completion make and file with the *Building Official* written affidavit that the work has been done in conformity to the reviewed plans and with the structural provisions of the technical codes. In the event such architect or engineer is not available, the owner shall employ in his stead a competent person or agency whose qualifications are reviewed by the *Building Official*. The *Building Official* shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, *Florida Statutes*, and that any person conducting inspections is qualified as a building inspector under Part III of Chapter 468, *Florida Statutes*. Nothing aforesaid shall preclude plan review or inspections by the Building Official (See also Section 107.6).

Exception: Permit issued on basis of an affidavit shall not extend to the flood load and flood resistance requirements of the *Florida Building Code*.

105.15 Opening protection. When any activity requiring a building permit that is applied for on or after July 1, 2008, and for which the estimated cost is \$50,000 or more for a site built single-family detached residential structure that is located in the wind borne debris region as defined in this Code and that has an insured value of \$750,000 or more, or, if the site built single-family detached residential structure is uninsured or for which documentation of insured value is not presented, has a just valuation for the structure for purposes of ad valorem taxation of \$750,000 or more; opening protections as required within this Code or *Florida Building Code, Residential* for new construction shall be provided.

Exception: Single family residential structures permitted subject to the *Florida Building Code* are not required to comply with this section.

105.16 Inspection of existing residential building not impacted by construction.

(a) A local enforcing agency, and any local building code administrator, inspector, or other official or entity, may not require as a condition of issuance of a one- or two-family residential building permit the inspection of any portion of a building, structure, or real property that is not directly impacted by the construction, erection, alteration, modification, repair, or demolition of the building, structure, or real property for which the permit is sought.

(b) This subsection does not apply to a building permit sought for:

1. A substantial improvement as defined in Section 161.54, *Florida Statutes* or as defined in the *Florida Building Code*.
2. A change of occupancy as defined in the *Florida Building Code*.

3. A conversion from residential to nonresidential or mixed use pursuant to Section 553.507(2)(a), Florida Statutes or as defined in the *Florida Building Code*.

4. A historic building as defined in the *Florida Building Code*.

(c) This subsection does not prohibit a local enforcing agency, or any local building code administrator, inspector, or other official or entity, from:

1. Citing any violation inadvertently observed in plain view during the ordinary course of an inspection conducted in accordance with the prohibition in paragraph (a).

2. Inspecting a physically nonadjacent portion of a building, structure, or real property that is directly impacted by the construction, erection, alteration, modification, repair, or demolition of the building, structure, or real property for which the permit is sought in accordance with the prohibition in paragraph (a).

3. Inspecting any portion of a building, structure, or real property for which the owner or other person having control of the building, structure, or real property has voluntarily consented to the inspection of that portion of the building, structure, or real property in accordance with the prohibition in paragraph (a).

4. Inspecting any portion of a building, structure, or real property pursuant to an inspection warrant issued in accordance with Sections 933.20-933.30, *Florida Statutes*.

105.17 Streamlined low-voltage alarm system installation permitting.

(1) As used in this section, the term:

(a) “Contractor” means a person who is qualified to engage in the business of electrical or alarm system contracting pursuant to a certificate or registration issued by the department under part II of chapter 489.

(b) “Low-voltage alarm system project” means a project related to the installation, maintenance, inspection, replacement, or service of a new or existing alarm system, as defined in s. 489.505, that is hardwired and operating at low voltage, as defined in the National Electrical Code Standard 70, Current Edition, or a new or existing low-voltage electric fence, and ancillary components or equipment attached to such a system or fence, including, but not limited to, home-automation equipment, thermostats, closed-circuit television systems, access controls, battery recharging devices, and video cameras.

(c) “Low-voltage electric fence” means an alarm system, as defined in s. 489.505, that consists of a fence structure and an energizer powered by a commercial storage battery not exceeding 12 volts which produces an electric charge upon contact with the fence structure.

(d) “Wireless alarm system” means a burglar alarm system or smoke detector that is not hardwired.

(2) Notwithstanding any provision of law, this section applies to all low-voltage alarm system projects for which a permit is required by a local enforcement agency. However, a permit is not required to install,

maintain, inspect, replace, or service a wireless alarm system, including any ancillary components or equipment attached to the system.

(3) A low-voltage electric fence must meet all of the following requirements to be permitted as a low-voltage alarm system project, and no further permit shall be required for the low-voltage alarm system project other than as provided in this section:

(a) The electric charge produced by the fence upon contact must not exceed energizer characteristics set forth in paragraph 22.108 and depicted in Figure 102 of International Electrotechnical Commission Standard No. 60335-2-76, Current Edition.

(b) A nonelectric fence or wall must completely enclose the low-voltage electric fence. The low-voltage electric fence may be up to 2 feet higher than the perimeter nonelectric fence or wall.

(c) The low-voltage electric fence must be identified using warning signs attached to the fence at intervals of not more than 60 feet.

(d) The low-voltage electric fence shall not be installed in an area zoned exclusively for single-family or multi-family residential use.

(e) The low-voltage electric fence shall not enclose the portions of a property which are used for residential purposes.

(4) This section does not apply to the installation or replacement of a fire alarm if a plan review is required.

(5) A local enforcement agency shall make uniform basic permit labels available for purchase by a contractor to be used for the installation or replacement of a new or existing alarm system at a cost of not more than \$40 per label per project per unit. The local enforcement agency may not require the payment of any additional fees, charges, or expenses associated with the installation or replacement of a new or existing alarm system.

(a) A local enforcement agency may not require a contractor, as a condition of purchasing a label, to submit any information other than identification information of the licensee and proof of registration or certification as a contractor.

(b) A label is valid for 1 year after the date of purchase and may only be used within the jurisdiction of the local enforcement agency that issued the label. A contractor may purchase labels in bulk for one or more unspecified current or future projects.

(6) A contractor shall post an unused uniform basic permit label in a conspicuous place on the premises of the low-voltage alarm system project site before commencing work on the project.

(7) A contractor is not required to notify the local enforcement agency before commencing work on a low-voltage alarm system project. However, a contractor must submit a Uniform Notice of a Low-Voltage Alarm System Project as provided under subsection (8) to the local enforcement agency within 14 days after completing the project. A local enforcement agency may take disciplinary action against a contractor who fails to timely submit a Uniform Notice of a Low-Voltage Alarm System Project.

(8) The Uniform Notice of a Low-Voltage Alarm System Project may be submitted electronically or by facsimile if all submissions are signed by the owner, tenant, contractor, or authorized representative of such persons. The Uniform Notice of a Low-Voltage Alarm System Project must contain the following information:

UNIFORM NOTICE OF A LOW-VOLTAGE
ALARM SYSTEM PROJECT

Owner's or Customer's Name

Owner's or Customer's Address

City

State Zip

Phone Number

E-mail Address

Contractor's Name

Contractor's Address

City

State Zip

Phone Number

Contractor's License Number

Date Project Completed

Scope of Work

Notice is hereby given that a low-voltage alarm system project has been completed at the address specified above. I certify that all of the foregoing information is true and accurate.

(Signature of Owner, Tenant, Contractor, or Authorized Representative)

(9) A local enforcement agency may coordinate directly with the owner or customer to inspect a low-voltage alarm system project to ensure compliance with applicable codes and standards. If a low-voltage alarm system project fails an inspection, the contractor must take corrective action as necessary to pass inspection.

(10) A municipality, county, district, or other entity of local government may not adopt or maintain in effect any ordinance or rule regarding a low-voltage alarm system project that is inconsistent with this section.

(11) A uniform basic permit label shall not be required for the subsequent maintenance, inspection, or service of an alarm system that was permitted in accordance with this section.

The provisions of this act are not intended to impose new or additional licensure requirements on persons licensed in accordance with the applicable provisions of chapter 489, *Florida Statutes*.

SECTION 106 FLOOR AND ROOF DESIGN LOADS

106.1 Live loads posted. Where the live loads for which each floor or portion thereof of a commercial or industrial building is or has been designed to exceed 50 psf (2.40 kN/m²), such design live loads shall be conspicuously posted by the owner or the owner's authorized agent in that part of each *Story* in which they apply, using durable signs. It shall be unlawful to remove or deface such notices

106.2 Issuance of certificate of occupancy. A certificate of occupancy required by Section 111 shall not be issued until the floor load signs, required by Section 106.1, have been installed.

106.3 Restrictions on loading. It shall be unlawful to place, or cause or permit to be placed, on any floor or roof of a building, structure or portion thereof, a load greater than is permitted by this code.

SECTION 107 SUBMITTAL DOCUMENTS

107.1 General. Submittal documents consisting of *Construction Documents*, statement of *Special Inspections*, geotechnical report and other data shall be submitted in two or more sets with each *Permit* application. The *Construction Documents* shall be prepared by a *Registered Design Professional* where required by Chapter 471, Florida Statutes & 61G15 Florida Administrative Code or Chapter 481, Florida Statutes & 61G1 Florida Administrative Code. Where special conditions exist, the *Building Official* is authorized to require additional *Construction Documents* to be prepared by a *Registered Design Professional*. Electronic media documents shall be submitted when required by the Building Official, in a format acceptable to the Building Official, and may require only one set of submittals.

Exception: The *Building Official* is authorized to waive the submission of *Construction Documents* and other data not required to be prepared by a *Registered Design Professional* if it is found that the nature of the work applied for is such that review of *Construction Documents* is not necessary to obtain compliance with this code.

If the design professional is an architect, interior designer, or engineer legally registered under the laws of this state regulating the practice of architecture or interior design as provided for in Chapter 481, Florida Statutes, Part I, or landscape architecture as provided for in Chapter 481, Florida Statutes, Part II, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.

107.2 Construction documents. *Construction Documents* shall be in accordance with Sections 107.2.1 through 107.2.6.

107.2.1 Information on construction documents.

Construction Documents shall be dimensioned and drawn upon suitable material. Electronic media documents are permitted to be submitted when *Approved* by the *Building Official*. *Construction Documents* shall be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that it will conform to the provisions of this code and relevant laws, ordinances, rules and regulations, as determined by the *Building Official*. Such drawings and specifications shall contain information, in the form of notes or otherwise, as to the quality of materials, where quality is essential to conformity with the technical codes. Such information shall be specific, and the technical codes shall not be cited as a whole or in part, nor shall the term "legal" or its equivalent be used as a substitute for specific information. All information, drawings, specifications and accompanying data shall bear the name and signature of the person responsible for the design.

107.2.1.1 For roof assemblies required by the code, the construction documents shall illustrate, describe and delineate the type of roofing system, materials, fastening requirements, flashing requirements and wind resistance rating that are required to be installed. Product evaluation and installation shall indicate compliance with the wind criteria required for the specific site or a statement by an architect or engineer certifying suitability for the specific site must be submitted with the construction documents.

107.2.1.2 Additional data. The Building Official may require details, computations, stress diagrams, and other data necessary to describe the construction or installation and the basis of calculations. All drawings, specifications and accompanying data required by the Building Official to be prepared by an architect or engineer shall be affixed with their official seal, signature and date as state law requires.

107.2.1.3 Quality of building plans. Building plans shall be drawn to a minimum 1/8 inch scale upon substantial paper, cloth or other acceptable medium. The Building Official may establish, through Departmental policy, other standards for plans and specifications, including electronic format, in order to provide conformity to its electronic permit review and record retention

program. This policy may include such things as minimum size, shape, contrast, clarity, or other items related to records management. Electronic media must be compatible with the archive requirements of Florida Statutes.

107.2.2 Fire protection system shop drawings. Shop drawings for the *Fire Protection System(S)* shall be submitted to indicate conformance to this code and the *Construction Documents* and shall be *Approved* prior to the start of system installation. Shop drawings shall contain all information as required by the referenced installation standards in Chapter 9.

107.2.3 Means of egress. The *Construction Documents* shall show in sufficient detail the location, construction, size and character of all portions of the *Means Of Egress* including the path of the *Exit Discharge* to the *Public Way* in compliance with the provisions of this code. In other than occupancies in Groups R-2, R-3, and I-1, the *Construction Documents* shall designate the number of occupants to be accommodated on every floor, and in all rooms and spaces.

107.2.4 Exterior wall envelope. *Construction Documents* for all buildings shall describe the *Exterior Wall Envelope* in sufficient detail to determine compliance with this code. The *Construction Documents* shall provide details of the *Exterior Wall Envelope* as required, including flashing, intersections with dissimilar materials, corners, end details, control joints, intersections at roof, eaves or parapets, means of drainage, water-resistive membrane and details around openings.

The *Construction Documents* shall include manufacturer's installation instructions that provide supporting documentation that the proposed penetration and opening details described in the *Construction Documents* maintain the weather resistance of the *Exterior Wall Envelope*. The supporting documentation shall fully describe the *Exterior Wall* system which was tested, where applicable, as well as the test procedure used.

107.2.5 Exterior balcony and elevated walking surfaces. Where balcony or other elevated walking surfaces are exposed to water from direct or blowing rain, snow or irrigation, and the structural framing is protected by an impervious moisture barrier the construction documents shall include details for all element of the impervious moisture barrier system. The construction documents shall include manufacturer's installation instructions. (CA7834)

107.2.6 Site plan. The *Construction Documents* submitted with the application for *Permit* shall be accompanied by a site plan showing to scale the size and location of new construction and existing structures on the site, distances from *Lot Lines*, the established street grades and the proposed finished grades and, as applicable, flood hazard areas, floodways, and *Design Flood* elevations; and it shall be drawn in accordance with an accurate boundary line survey. In the case of demolition, the site plan shall show construction to be demolished and the location and size of existing structures and construction that are to remain on the site or plot. The site plan shall include accessible parking and accessible routes as required by the FBC Accessibility when applicable. The *Building Official* is authorized to waive or modify the requirement for a site plan when the application for *Permit* is for *Alteration* or repair or when otherwise warranted.

107.2.6.1 Design flood elevations. Where *Design Flood* elevations are not specified, they shall be established in accordance with Section 1612.3.1. Design flood elevations shall be uniformly specified utilizing the currently effective NAVD 88.

107.2.6.2 For the purpose of inspection and record retention, site plans for a building may be maintained in the form of an electronic copy at the worksite. These plans must be open to inspection by the *Building Official* or a duly authorized representative, as required by the *Florida Building Code*.

107.2.7 Structural information. The *Construction Documents* shall provide the information specified in Section 1603 and include shoring details, where applicable, for new construction and alterations. Where construction includes excavation, shoring details shall demonstrate protection of the angle of repose for foundation systems of existing adjacent structures.

107.3 Examination of documents. The *Building Official* shall examine or cause to be examined the accompanying submittal documents and shall ascertain by such examinations whether the construction indicated and described is in accordance with the requirements of this code and other pertinent laws or ordinances.

Exceptions:

1. Building plans approved pursuant to Section 553.77(5), *Florida Statutes*, and state-approved manufactured buildings are exempt from local codes enforcing agency plan reviews except for provisions of the code relating to erection, assembly or construction at the site. Erection, assembly (including utility crossover connections) and construction at the site are subject to local permitting and inspections. Photocopies of plans approved according to FAC 61-41.009, Florida Administrative Code, shall be sufficient for local permit application documents of record for the modular building portion of the permitted project.

2. Industrial construction on sites where design, construction and fire safety are supervised by appropriately licensed design and inspection professionals and which contain adequate in-house fire departments and rescue squads is exempt, subject to approval by the *Building Official*, from review of plans and inspections, providing the appropriate licensed design and inspection professionals certify that applicable codes and standards have been met and supply appropriate approved drawings to local building and fire-safety inspectors.

107.3.1 Approval of construction documents. When the *Building Official* issues a *Permit*, the *Construction Document* shall be *Approved*, in writing or by stamp, as “Reviewed for Code Compliance.” One set of *Construction Documents* so reviewed shall be retained by the *Building Official*. The other set shall be returned to the applicant, shall be kept at the site of work and shall be open to inspection by the *Building Official* or a duly authorized representative.

107.3.2 Previous approvals. This code shall not require changes in the *Construction Documents*, construction or designated occupancy of a structure for which a lawful *Permit* has been heretofore

issued or otherwise lawfully authorized, and the construction of which has been pursued in good faith within 180 days after the effective date of this code and has not been abandoned.

107.3.3 Phased approval. (See also Section 105.13 of this code.) The *Building Official* is authorized to issue a *Permit* for the construction of foundations or any other part of a building or structure before the *Construction Documents* for the whole building or structure have been submitted, provided that adequate information and detailed statements have been filed complying with pertinent requirements of this code. The holder of such *Permit* for the foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a *Permit* for the entire structure will be granted. This provision only applies to the Florida Building Code; all other agency approvals necessary for construction must be secured prior to this provision being applied.

107.3.4 Design professional in responsible charge. Where it is required that documents be prepared by a *Registered Design Professional*, the *Building Official* shall be authorized to require the *Owner* or the owner's authorized agent to engage and designate on the building *Permit* application a *Registered Design Professional* who shall act as the *Registered Design Professional In Responsible Charge*. If the circumstances require, the *Owner* or the owner's authorized agent shall designate a substitute *Registered Design Professional In Responsible Charge* who shall perform the duties required of the original *Registered Design Professional In Responsible Charge*. The *Building Official* shall be notified in writing by the *Owner* or the owner's authorized agent if the *Registered Design Professional In Responsible Charge* is changed or is unable to continue to perform the duties.

The *Registered Design Professional In Responsible Charge* shall be responsible for reviewing and coordinating submittal documents prepared by others, including phased and deferred submittal items, for compatibility with the design of the building. Those products which are regulated by FAC Rule 61G20 shall be reviewed and approved in writing by the designer of record prior to submittal for jurisdictional approval.

107.3.4.1 Deferred submittals. For the purposes of this section, deferred submittals are defined as those portions of the design that are not submitted at the time of the application and that are to be submitted to the *Building Official*.

Deferral of any submittal items shall have the prior approval of the *Building Official*. The *Registered Design Professional in Responsible Charge* shall list the deferred submittals on the *Construction Documents* for review by the *Building Official*.

Documents for deferred submittal items shall be submitted to the *Registered Design Professional In Responsible Charge* who shall review them and forward them to the *Building Official* with a notation indicating that the deferred submittal documents have been reviewed and found to be in general conformance to the design of the building. The deferred submittal items shall not be installed until the deferred submittal documents have been *Approved* by the *Building Official*.

107.3.4.2 Certifications by contractors authorized under the provisions of Section 489.115(4)(b), *Florida Statutes*, shall be considered equivalent to sealed plans and specifications by a person

licensed under Chapter 471, *Florida Statutes*, or Chapter 481 *Florida Statutes*, by local enforcement agencies for plans review for permitting purposes relating to compliance with the wind-resistance provisions of the code or alternate methodologies approved by the Florida Building Commission for one- and two-family dwellings. Local enforcement agencies may rely upon such certification by contractors that the plans and specifications submitted conform to the requirements of the code for wind resistance. Upon good cause shown, local government code enforcement agencies may accept or reject plans sealed by persons licensed under Chapters 471, 481 or 489, *Florida Statutes*.

107.3.5 Minimum plan review criteria for buildings. The examination of the documents by the *Building Official* shall include the following minimum criteria and documents: a floor plan; site plan; foundation plan; floor/roof framing plan or truss layout; all fenestration penetrations; flashing; and rough opening dimensions; and all exterior elevations:

Commercial Buildings:

Building

1. Site requirements:

Parking

Fire access

Vehicle loading

Driving/turning radius

Fire hydrant/water supply/post indicator valve (PIV)

Set back/separation (assumed property lines)

Location of specific tanks, water lines and sewer lines

Flood hazard areas, flood zones, and design flood elevations

2. Occupancy group and special occupancy requirements shall be determined (with cross check with the energy code submittal).

3. Minimum type of construction shall be determined (see Table 503).

4. Fire-resistant construction requirements shall include the following components:

Fire-resistant separations

Fire-resistant protection for type of construction

Protection of openings and penetrations of rated walls

Fire blocking and draft stopping and calculated fire resistance

5. Fire suppression systems shall include:

Early warning smoke evacuation systems

Schematic fire sprinklers

Standpipes

Pre-engineered systems

Riser diagram

6. Life safety systems shall be determined and shall include the following requirements:

- Occupant load and egress capacities
- Early warning
- Smoke control
- Stair pressurization
- Systems schematic
- Safeguards during construction, as applicable

7. Occupancy load/egress requirements shall include:

- Occupancy load
- Gross
- Net
- Means of egress
- Exit access
- Exit
- Exit discharge
- Stairs construction/geometry and protection
- Doors
- Emergency lighting and exit signs
- Specific occupancy requirements
- Construction requirements
- Horizontal exits/exit passageways

8. Structural requirements shall include:

- Soil conditions/analysis
- Termite protection
- Design loads
- Wind requirements
- Building envelope (including Section 107.2.4 of this code)
- Impact resistant coverings or systems
- Structural calculations (if requested)
- Foundation
- Flood requirements in accordance with Section 1612, including lowest floor elevations, enclosures, flood damage-resistant materials
- Wall systems
- Floor systems
- Roof systems
- Threshold inspection plan
- Stair systems

9. Materials shall be reviewed and shall at a minimum include the following:

- Wood
- Steel

Aluminum
Concrete
Plastic
Glass
Masonry
Gypsum board and plaster
Insulating (mechanical)
Roofing
Deck coatings
Insulation
Building envelope portions of the Energy Code (including calculation and mandatory requirements)

10. Accessibility requirements shall include the following:

Site requirements
Accessible route
Vertical accessibility
Toilet and bathing facilities
Drinking fountains
Equipment
Special occupancy requirements
Fair housing requirements

11. Interior requirements shall include the following:

Interior finishes (flame spread/smoke development)
Light and ventilation
(including corresponding portion of the energy code)
Sanitation

12. Special systems:

Elevators
Escalators
Lifts

13. Energy Code submittal

14. Swimming pools:

Barrier requirements
Spas
Wading pools

15. Location and installation details. The specific location and installation details of each fire door, fire damper, ceiling damper and smoke damper shall be shown and properly identified on the building plans by the designer.

Electrical

1. Electrical:
 - Wiring
 - Services
 - Feeders and branch circuits
 - Overcurrent protection
 - Grounding
 - Wiring methods and materials
 - GFCIs
 - Electrical portions of the Energy Code (including calculation and mandatory requirements)
2. Equipment
3. Special occupancies
4. Emergency systems
5. Communication systems
6. Low voltage
7. Load calculations
8. Design flood elevation

Plumbing

1. Minimum plumbing facilities
2. Fixture requirements
3. Water supply piping
4. Sanitary drainage
5. Water heaters
6. Vents
7. Roof drainage
8. Back flow prevention

9. Irrigation
10. Location of water supply line
11. Grease traps
12. Environmental requirements
13. Plumbing riser
14. Design flood elevation
15. Water/plumbing portions of the Energy Code (including calculation and mandatory requirements)

Mechanical

1. Mechanical portions of the Energy calculations
2. Exhaust systems:
Clothes dryer exhaust
Kitchen equipment exhaust
Specialty exhaust systems
3. Equipment
4. Equipment location
5. Make-up air
6. Roof-mounted equipment
7. Duct systems
8. Ventilation
9. Combustion air
10. Chimneys, fireplaces and vents
11. Appliances
12. Boilers

13. Refrigeration
14. Bathroom ventilation
15. Laboratory
16. Design flood elevation

Gas

1. Gas piping
2. Venting
3. Combustion air
4. Chimneys and vents
5. Appliances
6. Type of gas
7. Fireplaces
8. LP tank location
9. Riser diagram/shutoffs
10. Design flood elevation
11. Gas portions of the Energy Code (including calculation and mandatory requirements)

Demolition

1. Asbestos removal

Residential (one- and two-family):

1. Site requirements:
Set back/separation (assumed property lines)
Location of septic tanks
2. Fire-resistant construction (if required)
3. Fire

4. Smoke detector locations
5. Egress
 - Egress window size and location stairs construction requirements
6. Structural requirements shall include:
 - Wall section from foundation through roof, including assembly and materials, connector tables, and structural calculations (if required)
 - Termite protection
 - Design loads
 - Wind requirements
 - Building envelope
 - Structural calculations (if requested)
 - Foundation
 - Wall systems
 - Floor systems
 - Roof Systems
7. Flood hazard areas, flood zones, design flood elevations, lowest floor elevations, enclosures, equipment, and flood damage-resistant materials
8. Accessibility requirements: show/identify accessible bath
9. Impact resistant coverings or systems
10. Residential Energy Code submittal (including calculation and mandatory requirements)
11. Electrical:
 - Electric service riser with wire sizes, conduit detail and grounding detail
 - Complete load calculations, Panel schedules
12. Mechanical:
 - Equipment and location, Duct systems
13. Plumbing:
 - Plumbing riser
14. Gas:

Gas piping
Venting
Combustion air
Chimneys and vents
Appliances
Type of gas
Fireplaces
LP tank location
Riser diagram/shutoffs

15. Swimming Pools

Barrier requirements
Spas
Wading pools

Manufactured buildings/housing -

1. Site requirements
 - Setback/separation (assumed property lines)
 - Location of septic tanks (if applicable)
2. Structural
 - Wind zone
 - Anchoring
 - Blocking
3. Plumbing
 - List potable water source and meter size (if applicable)
4. Mechanical
 - Exhaust systems
 - Clothes dryer exhaust
 - Kitchen equipment exhaust
5. Electrical exterior disconnect location

Exemptions.

Plans examination by the *Building Official* shall not be required for the following work:

1. Replacing existing equipment such as mechanical units, water heaters, etc.;
2. Reroofs (as determined by Building Official);
3. Minor electrical, plumbing and mechanical repairs;
4. Annual maintenance permits;
5. Prototype plans: Except for local site adaptations, siding, foundations and/or modifications. Except for structures that require waiver; or
6. Manufactured buildings plan except for foundations and modifications of buildings on site and as listed above in manufactured buildings/housing.

107.4 Amended construction documents. Work shall be installed in accordance with the *Approved Construction Documents*, and any changes made during construction that are not in compliance with the *Approved Construction Documents* shall be resubmitted for approval as an amended set of *Construction Documents*.

107.5 Retention of construction documents. One set of *Approved Construction Documents* shall be retained by the *Building Official* for a period of not less than 180 days from date of completion of the permitted work, or as required by state or local laws.

107.6 Affidavits. The *Building Official* may accept a sworn affidavit from a registered architect or engineer stating that the plans submitted conform to the technical codes. For buildings and structures, the affidavit shall state that the plans conform to the laws as to egress, type of construction and general arrangement and, if accompanied by drawings, show the structural design and that the plans and design conform to the requirements of the technical codes as to strength, stresses, strains, loads and stability. The *Building Official* may without any examination or inspection accept such affidavit, provided the architect or engineer who made such affidavit agrees to submit to the *Building Official* copies of inspection reports as inspections are performed and upon completion of the structure, electrical, gas, mechanical or plumbing systems a certification that the structure, electrical, gas, mechanical or plumbing system has been erected in accordance with the requirements of the technical codes. Where the *Building Official* relies upon such affidavit, the architect or engineer shall assume full responsibility for compliance with all provisions of the technical codes and other pertinent laws or ordinances. The *Building Official* shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, *Florida Statutes*, and that any person conducting inspections is qualified as a building inspector under Part XII of Chapter 468, *Florida Statutes*. Nothing aforesaid shall preclude plan review or inspections by the Building Official (See also Section 105.14). On applications in which private provider services are utilized, all time frames shall adhere to time frames as indicated in Florida Statutes 553.791 7(a).

107.6.1 Building permits issued on the basis of an affidavit in special flood hazard areas. Pursuant to the requirements of federal regulation for participation in the National Flood Insurance Program (44 C.F.R. Parts 59 and 60), the authority granted to the *Building Official* to issue permits, to rely on inspections, and to accept plans and construction documents on the basis of affidavits and plans

submitted pursuant to Sections 105.14 and 107.6, shall not extend to the flood load and flood resistance construction requirements of the *Florida Building Code*.

SECTION 108 TEMPORARY STRUCTURES AND USES

108.1 General. The *Building Official* is authorized to issue a *Permit* for temporary structures and temporary uses. Such *Permits* shall be limited as to time of service, but shall not be permitted for more than 180 days. The *Building Official* is authorized to grant extensions for demonstrated cause.

108.2 Conformance. Temporary structures and uses shall comply with the requirements in Section 3103.

108.3 Temporary power. The *Building Official* is authorized to give permission to temporarily supply and use power in part of an electric installation before such installation has been fully completed and the final certificate of completion has been issued. The part covered by the temporary certificate shall comply with the requirements specified for temporary lighting, heat or power in NFPA 70.

108.4 Termination of approval. The *Building Official* is authorized to terminate such *Permit* for a temporary structure or use and to order the temporary structure to be removed and the use to be discontinued.

SECTION 109 FEES

109.1 Payment of fees. A *Permit* shall not be valid until the fees prescribed by law have been paid, nor shall an amendment to a *Permit* be released until the additional fee, if any, has been paid.

109.1.1 Other fees. A permit shall not be issued until all other fees associated with said permit are paid. Other fees may include additional fees, penalty fees, water and sewer capital facility fees, City Park & Recreation fees, Fire Division fees, City Green Building Fee, Palm Beach County Impact fees and State of Florida fees. Water and sewer facility fees are established in Chapter 26 of the City of Boynton Beach Code of Ordinances. The Fire Division fees are established in Chapter 9 of the City of Boynton Beach Code of Ordinances. The City Green Building fee is established in the City of Boynton Beach Code Land Development Regulations Chapter 2, Article 1, Section 5. The city may elect to collect Palm Beach County Impact fees that include fees for Roads, Public Buildings, Schools and Parks. The city collects State of Florida surcharge fees for the Radon Trust Fund

(Radon) and Building Code Administrators and Inspectors Fund (BCAIF). When applicable, the administrative portion of the Art in Public Places fee (30% of the total Art fee) is due prior to permit issuance.

109.2 Schedule of permit fees. On buildings, structures, electrical, gas, mechanical, and plumbing systems or *Alterations* requiring a *Permit*, a fee for each *Permit* shall be paid as required, in accordance with the schedule as established by the applicable governing authority.

109.2.1 Types of Fees Enumerated. Fees may be charged for but not limited to the following:

- Permits;
- Plans examination;
- Certificates of competency (including fees for applications, examinations, renewal, late renewal, and reciprocity);
- Re-inspections;
- Administrative fees (including fees for investigative and legal costs incurred in the context of certain disciplinary cases heard by the board);
- Variance requests;
- Administrative appeals;
- Violations; and
- Other fees as established by local resolution or ordinance.

109.3 Building permit valuations. For permitting purposes, the applicant for a *Permit* shall provide an estimated *Permit* value at time of application. *Permit* valuations shall include total value of work or total replacement value of work, including materials and labor for which the permit is being issued, such as structural, electric, plumbing, mechanical, interior finish, relative site work, architectural and design fees, overhead and profit; excluding only land value. If, in the opinion of the *Building Official*, the valuation is underestimated on the application, the *Permit* shall be denied, unless the applicant can show detailed estimates to meet the approval. Valuation references may include the latest published data of national construction cost analysis services, such as, Marshall-Swift, Means, etc., as published by International Code Congress. Final building *Permit* valuation shall be set by the *Building Official*.

109.3.1 Exemptions.

Manufacturing Equipment:

For the purposes of calculating permit fees the cost of equipment used in the process of manufacturing a product shall be exempt from paying permit fees for any portion of the cost greater than \$10,000 dollars if the following criteria are met:

1. Equipment must have a replacement cost and/or purchase cost greater than \$10,000 dollars per each piece of equipment to be exempted.
2. Equipment must be purchased directly by the owner.

3. Equipment cannot not be an integral part of the building, building envelope, building system, and/or essential to the operation of the building.
4. The nature of equipment shall be that if a business was to cease to exist or relocate the equipment would be easily removed from the building.

Note:

All, electric, piping, mounting, structural connections, attachment of auxiliary equipment necessary to operate the manufacturing equipment will be included in permit valuation and subject to permit fees.

109.4 Work commencing before permit issuance. Any person who commences any work on a building, structure, electrical, gas, mechanical or plumbing system before obtaining the necessary *Permits* or without prior approval from the *Building Official* as permitted in Section 105.2.2 or 105.12 shall be subject to a fee established by the *Building Official* that shall be in addition to the required *Permit* fees or as provided by local ordinance. This provision shall not apply to emergency work when delay would clearly have placed life or property in imminent danger. But in all such cases the required permit(s) must be applied for within one (1) business day and any unreasonable delay in obtaining those permit(s) shall result in the charge of a quadruple fee. The payment of a quadruple fee shall not preclude or be deemed a substitute for prosecution for commencing work without first obtaining a permit. The *Building Official* may grant extensions of time or waive fees when justifiable cause has been demonstrated in writing to two times the fee.

109.5 Related fees. The payment of the fee for the construction, *Alteration*, removal or demolition for work done in connection to or concurrently with the work authorized by a building *Permit* shall not relieve the applicant or holder of the *Permit* from the payment of other fees that are prescribed by law.

109.6 Refunds. All permit fees under this section are non-refundable and non-transferable.

SECTION 110 INSPECTIONS

110.1 General. Construction or work for which a *Permit* is required shall be subject to inspection by the *Building Official* and such construction or work shall remain exposed and provided with access for inspection purposes until *Approved*. Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction. Inspections presuming to give authority to violate or cancel the provisions of this code or of other ordinances of the jurisdiction shall not be valid. It shall be the duty of the *Owner* or the owner's authorized agent to cause the work to remain exposed and provided with access for inspection purposes. The *Building Official* shall be permitted to require a boundary line survey prepared by a qualified surveyor whenever the boundary lines cannot be readily determined in the field. Neither the *Building Official* nor the jurisdiction shall be liable for expense entailed in the removal or replacement of any material required to allow inspection. (CA 7697)

110.1.1 Manufacturers and fabricators. When deemed necessary by the *Building Official*, he/she shall make, or cause to be made, an inspection of materials or assemblies at the point of manufacture or fabrication. A record shall be made of every such examination and inspection and of all violations of the technical codes.

110.1.2 Inspection service. The *Building Official* may make, or cause to be made, the inspections required by Section 110. He or she may accept reports of division inspectors, independent inspectors or of recognized inspection services, provided that after investigation he/she is satisfied as to their licensure, qualifications and reliability. A certificate required by any provision of this code shall not be based on such reports unless the same are recorded by the building code inspector or the architect or engineer performing building code inspections in a manner specified by the *Building Official*. The *Building Official* shall ensure that all persons making such inspections shall be certified in accordance to Chapter 468 Florida Statutes.

The Building Official may require the owner to employ an inspection service in the following instances:

1. For buildings or additions of Type I construction;
2. For all major structural alterations;
3. Where the concrete design is based on compressive strength in excess of 3000 pounds per square inch;
4. For pile driving;
5. For buildings with an area greater than 20,000 square feet;
6. For buildings more than two stories in height; or
7. For buildings and structures of unusual design or methods of construction.

Such inspectors shall be present when work is underway on the structural elements of the building to adequately attest to its compliance. Such inspectors shall be a registered architect, or engineer. An employee of the architect or engineer licensed under Chapter 468, Part XII, Florida Statutes may perform the inspections, under the direction of and with final certification from the architect or engineer. Such inspectors shall submit weekly progress reports including the daily inspections to the Building Official, and including a code compliance opinion of the resident inspector.

At the completion of the construction work or project, the architect or engineer shall submit a certificate of compliance to the Building Official, stating that the work was done in compliance with this code and in accordance with the permitted drawing. Final inspection shall be made by the

Building Official before a Certificate of Occupancy or Certificate of Completion is issued; and confirmation inspections may be made at any time to monitor activities and resident inspectors.

110.1.3 Affidavit for inspection. With specific prior approval of, and in a format acceptable to the Building Official, an affidavit for certification of inspection may be accepted from the permit qualifier; when accompanied by extensive photographic evidence of sufficient detail to demonstrate code compliance. The photographic evidence shall be comprehensive in the display of the installation and/or construction and job location identifiers. The affidavit and accompanying photographs shall be provided to the inspector onsite, at the next scheduled inspection. If the photographs are found to be insufficient by the Building Official to demonstrate compliance with this code and/or the permitted document, or clearly display location identifiers, or are missing, the inspector shall require the contractor to obtain the services of a Registered Florida Professional Engineer to inspect and certify the installation and/or construction.

110.1.3.1 Exception: Affidavits may not be accepted for inspection of elements of construction which require inspection by the local jurisdiction under the requirements of 44CFR59 and 44CFR60 and the local flood damage prevention ordinance.

110.1.4 No inspection shall be made until sanitary facilities have been provided, as required in Section 311.1 of the *Florida Building Code, Plumbing*.

110.2 Preliminary inspection. Subject to the limitations of Florida Statutes Chapter 553.79(20), before issuing a *Permit*, the *Building Official* is authorized to examine or cause to be examined buildings, structures and sites for which an application has been filed.

110.2.1 Existing building inspections. Before issuing a permit, the Building Official may examine or cause to be examined any building, electrical, gas, mechanical, or plumbing systems for which an application has been received for a permit to enlarge, alter, repair, move, demolish, install, or change the occupancy. The Building Official may inspect the buildings, structures, electrical, gas, mechanical and plumbing systems, from time to time, before, during and upon completion of the work for which a permit was issued. The Building Official shall make a record of every such examination and inspection and of all observed violations of the technical codes. Additional regulations in Florida Building Code, Existing Building Volume, may apply.

110.3 Required inspections. The *Building Official* upon notification from the permit holder or his or her agent shall make the following inspections, and such other inspections as deemed necessary and shall either release that portion of the construction or shall notify the permit holder or his or her agent of any violations which must be corrected in order to comply with the technical codes. The *Building Official* shall determine the timing and sequencing of when inspections occur and what elements are inspected at each inspection. A complete survey, or special purpose survey may be required before an inspection is approved.

A. Building

1. Foundation inspection. To be made after trenches are excavated, forms erected, and required reinforcing steel is in place. The Foundation inspection shall at a minimum include the following building components:

- Stem-wall
- Monolithic slab-on-grade
- Piling and pile caps
- Footings/grade beams

1.1. Slab Inspection: Concrete slab and under-floor inspections shall be made after in-slab or under-floor reinforcing steel and building service equipment, conduit, piping accessories and other ancillary equipment items are in place, but before any concrete is placed or floor sheathing installed, including the subfloor. A foundation/Form board survey prepared and certified by a registered surveyor may be required, prior to approval of the slab inspection. The survey shall certify placement of the building on the site, illustrate all surrounding setback dimensions and shall be available at the job site for review by the building inspector. In lieu of providing a survey, the contractor may elect to uncover all property line markers and string-up all property lines in preparation for inspection. At contractors own risk.

1.2. In flood hazard areas, upon placement of the lowest floor, including basement, and prior to further vertical construction, the elevation certification shall be submitted to the Authority having Jurisdiction. Any locations Outside of the flood hazard area the contractor shall meet the minimum requirements for Habitable Finish Floor above the crown of the road per Chapter 4, Article X, Flood Prevention Requirements of the LDR.

2. Construction Inspections

2.1 Lintel/tie beams/columns/masonry units. To be made after masonry units, forms, reinforcing steel, shoring, conduit, piping accessories, and other ancillary equipment items are in place, but before any concrete is placed.

2.2 Sheathing inspection. To be made either as part of a dry-in inspection or done separately at the request of the contractor after all roof and wall sheathing and fasteners are complete and shall at a minimum include the following building components:

- Roof sheathing
- Wall sheathing
- Floor sheathing
- Sheathing fasteners
- Roof/wall dry-in.

- Gypsum board, as required
- Sheathing/cladding inspection

NOTE: Sheathing fasteners installed and found to be missing the structural member (shiners) shall be removed and corrected prior to installation of the dry-in material.

Exception: ring shank nails shall be bent over and a new fastener installed.

2.3 Framing inspection. To be made after the roof deck or sheathing, all framing, fire blocking and bracing is in place, all concealed wiring, all pipes, chimneys, ducts and vents are complete and shall at a minimum include the following building components:

- Window/door framing and installation. Verify rough opening dimensions are within tolerances, buck and attachments.
- Lintel/tie beams complete, if applicable.
- Framing/trusses/bracing/connectors (including truss layout drawings)
- Draft stopping/fire blocking
- Curtain wall framing
- Fire resistant assemblies, joints and penetrations, as required
- Accessibility.

3. Exterior wall coverings. Shall at a minimum include the following building components in progress inspections:

- Exterior wall coverings and veneers
- Soffit coverings

4. Roofing inspection. Shall at a minimum include the following building components:

- Dry-in
- Insulation
- Roof coverings (including in-progress)
- Flashing
- Sheathing

4.1. Re-Roof sheathing inspection. An affidavit with a notarized signature of a state or locally licensed roofing contractor for the installation of additional sheathing fasteners as required by the Existing Building Code may be accepted at the discretion of the Building Official.

5. Energy insulation, thermal and ignition barriers

6. Lath/Drywall. Lath and gypsum board inspections shall be made after lathing and gypsum board, interior and exterior, is in place, but before any plastering is applied or gypsum board joints and fasteners are taped and finished.

Exception: Gypsum board that is not part of a fire-resistance- rated assembly or a shear assembly, unless otherwise determined by the Building Official.

7. Final inspection. To be made after the building, including all sub-trade inspections, are completed and ready for occupancy.

7.1. Elevation Certificate. As part of the final inspection, an elevation certificate shall be submitted to the authority having jurisdiction.

7.2. A final survey prepared and certified by a registered surveyor may be required at time of final inspection, when applicable.

8. Swimming pool inspection.

- First inspection to be made after excavation and installation of reinforcing steel, bonding and main drain and prior to placing of concrete shell.
- Underground electric inspection
- Underground piping inspection, including a pressure test
- Deck inspection: to be made prior to installation of the deck material (with forms, deck drains, and any reinforcement in place).
- Final electric inspection to be made prior to filling the swimming pool with water.
- Final permanent barrier inspection to be made prior to filling the swimming pool with water.
- In order to pass final inspection and receive a certificate of completion, a residential swimming pool must meet the requirements relating to pool safety features as described in Section 454.2.17 of this code.
- Final inspection to be made when the swimming pool is complete and all required enclosure requirements are in place.
- In order to pass final inspection and receive a certificate of completion, a residential swimming pool must meet the requirements relating to pool safety features as described in Section 454.2.17 of this code.

9. Demolition inspections.

- First inspection to be made after all utility connections have been disconnected and secured in such manner that no unsafe or unsanitary conditions shall exist during or after demolition operations.
- Final inspection to be made after all demolition work is completed.

10. Manufactured building inspections. The division of building safety shall inspect construction of foundations; connecting buildings to foundations; installation of parts identified on plans as site installed items, joining the modules, including utility crossovers; utility connections from the building to utility lines on site; and any other work done on site which requires compliance with the *Florida Building Code*. Additional inspections may be required for public educational facilities (see Section 423.27.20 of this code).

11. Where impact-resistant coverings or impact resistant systems are installed, the Building Official shall schedule adequate inspections of impact-resistant coverings or impact resistant systems to determine the following:
 - The system indicated on the plans was installed.
 - The system is installed in accordance with the manufacturer's installation instructions and the product approval.

Electrical

1. Underground inspection. To be made after trenches or ditches are excavated, conduit or cable installed, and before any backfill is put in place.
2. Rough-in inspection. To be made after the roof, framing, fire blocking and bracing is in place and prior to the installation of wall or ceiling membranes.
3. Low Voltage: To be made for security, alarm, elevator, and special uses.
4. Final inspection. To be made after the building electrical system is complete, all required electrical fixtures are in place and properly connected or protected, and the structure is ready for occupancy.
5. Existing Swimming Pools. To be made after all repairs or alterations are complete, all required electrical equipment, GFCI protection, and equipotential bonding are in place on said alterations or repairs.

Plumbing

1. Underground inspection. To be made after trenches or ditches are excavated, piping installed, and before any backfill is put in place.
2. Rough-in inspection. To be made after the roof, framing, fire blocking and bracing is in place and all soil, waste and vent piping is complete, and prior to this installation of wall or ceiling membranes.

-includes plumbing provisions of the energy code and approved calculations provisions.
3. Final inspection. To be made after the building plumbing system is complete, all plumbing fixtures are in place and properly connected, and the structure is ready for occupancy.

Note: See Section 312 of the *Florida Building Code, Plumbing* for required tests.

Mechanical

1. Underground inspection. To be made after trenches or ditches are excavated, underground duct and fuel piping installed, and before any backfill is put in place.

2. Rough-in inspection. To be made after the roof, framing, fire blocking and bracing are in place and all ducting, and other concealed components are complete, and prior to the installation of wall or ceiling membranes.

-includes mechanical provisions of the energy code and approved calculations provisions.

3. Final inspection. To be made after the building mechanical system is complete, the mechanical system is in place and properly connected, and the structure is ready for occupancy.

Gas

1. Rough piping inspection. To be made after all new piping authorized by the permit has been installed, and before any such piping has been covered or concealed or any fixtures or gas appliances have been connected.

-includes gas provisions of the energy code and approved calculations provisions.

2. Final piping inspection. To be made after all piping authorized by the permit has been installed and after all portions which are to be concealed by plastering or otherwise have been so concealed, and before any fixtures or gas appliances have been connected. This inspection shall include a pressure test.

3. Final inspection. To be made on all new gas work authorized by the permit and such portions of existing systems as may be affected by new work or any changes, to ensure compliance with all the requirements of this code and to assure that the installation and construction of the gas system is in accordance with reviewed plans.

Site Debris

1. The contractor and/or owner of any active or inactive construction project shall be responsible for the clean-up and removal of all construction debris or any other miscellaneous discarded articles during the course of the construction project and prior to receiving final inspection approval. Construction job sites must be kept clean and in a safe condition at all times.

2. All debris shall be kept in such a manner as to prevent it from being spread by any means.

110.3.1 Footing and foundation inspection. Footing and foundation inspections shall be made after excavations for footings are complete and any required reinforcing steel is in place. For concrete foundations, any required forms shall be in place prior to inspection. Materials for the foundation shall be on the job, except where concrete is ready mixed in accordance with ASTM C 94, the concrete need not be on the job.

110.3.2 Concrete slab and under-floor inspection.

Concrete slab and under-floor inspections shall be made after in-slab or under-floor reinforcing steel and building service equipment, conduit, piping accessories and other ancillary equipment items are in place, but before any concrete is placed or floor sheathing installed, including the subfloor.

110.3.3 Lowest floor elevation. In flood hazard areas, upon placement of the lowest floor, including the basement, and prior to further vertical construction, the elevation certification shall be submitted to the *Building Official*.

110.3.4 Frame inspection. Framing inspections shall be made after the roof deck or sheathing, all framing, *Fire Blocking* and bracing are in place and pipes, chimneys and vents to be concealed are complete and the rough electrical, plumbing, heating wires, pipes and ducts are *Approved*.

110.3.5 Lath, gypsum board and gypsum panel product inspection. Lath, gypsum board and gypsum panel product inspections shall be made after lathing, gypsum board and gypsum panel products, interior and exterior, are in place, but before any plastering is applied or gypsum board and gypsum panel product joints and fasteners are taped and finished.

Exception: Gypsum board and gypsum panel products that are not part of a fire-resistance-rated assembly or a shear assembly.

110.3.6 Weather-exposed balcony and walking surface waterproofing. Where balcony or other elevated walking surfaces are exposed to water from direct or blowing rain, snow or irrigation, and the structural framing is protected by an impervious moisture barrier, all elements of the impervious-moisture-barrier system shall not be concealed until inspected and approved.

110.3.7 Fire- and smoke-resistant penetrations.

Protection of joints and penetrations in fire-resistance rated assemblies, *Smoke Barriers* and smoke partition shall not be concealed from view until inspected and *Approved*.

110.3.8 Energy efficiency inspections. Inspections shall be made to determine compliance with *Fbc, Energy Conservation* and confirm with the approved energy code submittal (by appropriate trade) and corresponding mandatory requirements and shall include, but not be limited to, inspections for: corresponding envelope insulation *R-* and *U-*values, fenestration *U-*value and Solar Heat Gain Coefficient, duct system *R-*value, and HVAC, lighting, electrical and water-heating equipment efficiency.

110.3.9 Other inspections. In addition to the inspections specified in Sections 110.3 through 110.3.7, the *Building Official* is authorized to make or require other inspections of any construction work to ascertain compliance with the provisions of this code and other laws that are enforced by the division of building safety.

110.3.10 Special inspections. Reserved.

110.3.11 Inspections prior to issuance of Certificate of Occupancy or Completion. The Building Official shall inspect or cause to be inspected, at various intervals, all construction or work for which a permit

is required, and a final inspection shall be made of every building, structure, electrical, gas, mechanical or plumbing system upon completion, prior to the issuance of the Certificate of Occupancy or Certificate of Completion. In performing inspections, the Building Official or designee shall give first priority to inspections of the construction, addition, or renovation to, any facilities owned or controlled by a state university, state community college or public school district.

110.3.12 Final inspection. The final inspection shall be made after all work required by the building *Permit(S)* is completed.

110.3.12.1 Flood hazard documentation. If located in a *Flood Hazard Area*, shall be submitted to the *Building Official* prior to the final inspection.

110.3.12.2 Energy Code documentation. If required by energy code path submittal, confirmation that commissioning result requirements have been received by building owner.

110.3.13 Termites. Building components and building surroundings required to be protected from termite damage in accordance with Section 1503.7, Section 2304.13 or Section 2304.11.6, specifically required to be inspected for termites in accordance with Section 2114, or required to have chemical soil treatment in accordance with Section 1816 shall not be covered or concealed until the release from the *Building Official* has been received.

110.3.14 Impact resistant coverings or systems. Where impact resistant coverings or systems are installed to meet requirements of this code, the *Building Official* shall schedule adequate inspections of impact resistant coverings or systems to determine the following:

1. The system indicated on the plans was installed.
2. The system is installed in accordance with the manufacturer's installation instructions and the product approval.

110.4 Inspection agencies. The *Building Official* is authorized to accept reports of *Approved* inspection agencies, provided such agencies satisfy the requirements as to qualifications and reliability.

110.5 Inspection requests. It shall be the duty of the holder of the building *Permit* or their duly authorized agent to notify the *Building Official* when work is ready for inspection. It shall be the duty of the *Permit* holder to provide access to and means for inspections of such work that are required by this code.

110.6 Approval required. Work shall not be done beyond the point indicated in each successive inspection without first obtaining the approval of the *Building Official*. The *Building Official*, upon notification, shall make the requested inspections and shall either indicate the portion of the construction that is satisfactory as completed, or notify the *Permit* holder or his or her agent wherein the same fails to comply with this code. Any portions that do not comply shall be corrected and such portion shall not be covered or concealed until authorized by the *Building Official*.

110.7 Shoring. For threshold buildings, shoring and associated formwork or falsework shall be designed and inspected by a Florida licensed professional engineer, prior to any required mandatory inspections by the threshold building inspector.

110.8 Threshold building.

110.8.1 During new construction or during repair or restoration projects in which the structural system or structural loading of a building is being modified, the enforcing agency shall require a special inspector to perform structural inspections on a threshold building pursuant to a structural inspection plan prepared by the engineer or architect of record. The structural inspection plan must be submitted to the enforcing agency prior to the issuance of a building permit for the construction of a threshold building. The purpose of the structural inspection plans is to provide specific inspection procedures and schedules so that the building can be adequately inspected for compliance with the permitted documents. The special inspector may not serve as a surrogate in carrying out the responsibilities of the Building Official, the architect, or the engineer of record. The contractor's contractual or statutory obligations are not relieved by any action of the special inspector.**110.8.2** The special inspector shall determine that a professional engineer who specializes in shoring design has inspected the shoring and reshoring for conformance with the shoring and reshoring plans submitted to the enforcing agency. A fee simple title owner of a building, which does not meet the minimum size, height, occupancy, occupancy classification, or number-of-stories criteria which would result in classification as a threshold building under Section 553.71(7), Florida Statutes, may designate such building as a threshold building, subject to more than the minimum number of inspections required by the *Florida Building Code*.

110.8.3 The fee owner of a threshold building shall select and pay all costs of employing a special inspector, but the special inspector shall be responsible to the enforcement agency. The inspector shall be a person certified, licensed or registered under Chapter 471, *Florida Statutes*, as an engineer or under Chapter 481, *Florida Statutes*, as an architect.

110.8.4 Each enforcement agency shall require that, on every threshold building:

110.8.4.1 The special inspector, upon completion of the building and prior to the issuance of a certificate of occupancy, file a signed and sealed statement with the enforcement agency in substantially the following form: "To the best of my knowledge and belief, the above described construction of all structural load-bearing components complies with the permitted documents, and the shoring and reshoring conforms to the shoring and reshoring plans submitted to the enforcement agency."

110.8.4.2 Any proposal to install an alternate structural product or system to which building codes apply be submitted to the enforcement agency for review for compliance with the codes and made part of the enforcement agency's recorded set of permit documents.

110.8.4.3 All shoring and reshoring procedures, plans and details be submitted to the enforcement agency for recordkeeping. Each shoring and reshoring installation shall be supervised, inspected and certified to be in compliance with the shoring documents by the contractor.

110.8.4.4 All plans for the building which are required to be signed and sealed by the architect or engineer of record contain a statement that, to the best of the architect's or engineer's knowledge, the plans and specifications comply with the applicable minimum building codes and the applicable fire-safety standards as determined by the local authority in accordance with this Section and Chapter 633, *Florida Statutes*.

110.8.5 No enforcing agency may issue a building permit for construction of any threshold building except to a licensed general contractor, as defined in Section 489.105(3)(a), *Florida Statutes*, or to a licensed building contractor, as defined in Section 489.105(3)(b), *Florida Statutes*, within the scope of her or his license. The named contractor to whom the building permit is issued shall have the responsibility for supervision, direction, management and control of the construction activities on the project for which the building permit was issued.

110.8.6 The division of building safety may allow a special inspector to conduct the minimum structural inspection of threshold buildings required by this code, Section 553.73, *Florida Statutes*, without duplicative inspection by the division of building safety. The *Building Official* is responsible for ensuring that any person conducting inspections is qualified as a building inspector under Part XII of Chapter 468, *Florida Statutes*, or certified as a special inspector under Chapter 471 or 481, *Florida Statutes*. Inspections of threshold buildings required by Section 553.79(5), *Florida Statutes*, are in addition to the minimum inspections required by this code.

110.9 Impact of construction. All construction activity regulated by this code shall be performed in a manner so as not to adversely impact the condition of adjacent property, unless such activity is permitted to affect said property pursuant to a consent granted by the applicable property owner, under terms or conditions agreeable to the applicable property owner. This includes, but is not limited to, the control of dust, noise, water or drainage run-offs, debris, and the storage of construction materials. New construction activity shall not adversely impact legal historic surface water drainage flows serving adjacent properties, and may require special drainage design complying with engineering standards to preserve the positive drainage patterns of the affected sites. Accordingly, developers, contractors and owners of all new residential development, including additions, pools, patios, driveways, decks or similar items, on existing properties resulting in a significant decrease of permeable land area on any parcel or has altered the drainage flow on the developed property shall, as a permit condition, provide a professionally prepared drainage plan clearly indicating compliance with this paragraph. Upon completion of the improvement, a certification from a licensed professional, as appropriate under Florida law, shall be submitted to the inspector in order to receive approval of the final inspection.

110.10 Storm Shutter Placement during Hurricane Season.

110.10.1 After the termination of such periods of time that had been designated by the National Weather Service as being a hurricane watch or warning, hurricane protective devices installed on occupied buildings which impede required egress or required light and ventilation shall be removed within 15 days.

SECTION 111 CERTIFICATE OF OCCUPANCY

111.1 Use and occupancy. A building or structure shall not be used or occupied, and a change in the existing use or occupancy classification of a building or structure or portion thereof shall not be made, until the *Building Official* has issued a certificate of occupancy therefore as provided herein. Issuance of a certificate of occupancy shall not be construed as an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction.

Exception: Certificates of occupancy are not required for work exempt from *Permits* under Section 105.2.

111.2 Certificate issued. After the *Building Official* inspects the building or structure and finds no violations of the provisions of this code or other laws that are enforced by the division of building safety, the *Building Official* shall issue a certificate of occupancy that contains the following:

1. The building *Permit* number.
2. The address of the structure.
3. The name and address of the *Owner* or the owner's authorized agent.
4. A description of that portion of the structure for which the certificate is issued.
5. A statement that the described portion of the structure has been inspected for compliance with the requirements of this code for the occupancy and division of occupancy and the use for which the proposed occupancy is classified.
6. For buildings and structures in flood hazard areas, a statement that documentation of the as-built lowest floor elevation has been provided and is retained in the records of the authority having jurisdiction
7. The name of the *Building Official*.
8. The edition of the code under which the *Permit* was issued.
9. The use and occupancy, in accordance with the provisions of Chapter 3.

10. The type of construction as defined in Chapter 6.
11. The design *Occupant Load*.
12. If an *Automatic Sprinkler System* is provided, whether the sprinkler system is required.
13. Any special stipulations and conditions of the building *Permit*.

111.3 Temporary/partial occupancy. The Building Official is authorized to issue a temporary/partial certificate of occupancy before the completion of the entire work covered by the permit, provided that such portion or portions shall be occupied safely. The Building Official shall set a time period of 30 days during which the temporary certificate of occupancy is valid.

111.4 Revocation. The *Building Official* is authorized to, in writing, suspend or revoke a certificate of occupancy or completion issued under the provisions of this code wherever the certificate is issued in error, or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is in violation of any ordinance or regulation or any of the provisions of this code.

111.5 Certificate of Completion. A Certificate of Completion is proof that a structure or system is complete and for certain types of permits is released for use and may be connected to a utility system. This certificate does not grant authority to occupy a building, such as shell building, prior to the issuance of a Certificate of Occupancy.

111.6 Fixturing and Stocking. The Building Official is authorized to issue approval for fixturing, stocking, training, or decorating, when appropriate, to allow the builder to prepare the structure for permanent occupancy. The building may not be open to the general public or be used for the transaction of any commerce. Such approval must be conditioned upon the approval of the Fire Marshal, when applicable.

111.7 Digital Submittal Requirements for New Construction.

111.7.1 Building Footprints. The Building Official is authorized to require the submittal of digital shape (PDF) files, in a specific format, depicting a geo-referenced footprint with elevation for all new structures as a condition of the issuance of a Certificate of Occupancy.

111.7.2 Subdivision Topography. The Building Official is authorized to require the submittal of electronic topographical data for all new subdivisions over five acres or five lots for the purposes of updating and maintaining the community's flood maps.

**SECTION 112
SERVICE UTILITIES**

112.1 Connection of service utilities. No person shall make connections from a utility, source of energy, fuel or power to any building or system that is regulated by this code for which a *Permit* is required, until released by the *Building Official*.

112.2 Temporary connection. The *Building Official* shall have the authority to authorize the temporary connection of the building or system to the utility source of energy, fuel or power.

112.3 Authority to disconnect service utilities. The *Building Official* shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by this code and the referenced codes and standards set forth in Section 101.4 in case of emergency where necessary to eliminate an immediate hazard to life or property or when such utility connection has been made without the approval required by Section 112.1 or 112.2. The *Building Official* shall notify the serving utility, and wherever possible the owner and occupant of the building, structure or service system of the decision to disconnect prior to taking such action. If not notified prior to disconnecting, the owner or occupant of the building, structure or service system shall be notified in writing, as soon as practical thereafter.

SECTION 113 BUILDING BOARD OF ADJUSTMENT AND APPEALS

113.1 Appointment. There is hereby established a board to be called the Building Board of Adjustment and Appeals, which shall consist of seven members and two alternates. The applicable governing body shall appoint the Board.

113.2 Membership and Terms.

113.2.1 Membership. The Building Board of Adjustment and Appeals shall consist of seven members. Such board members shall be composed of individuals with knowledge and experience in the technical codes to include, to the greatest extent possible, an architect, engineer, general contractor, electrical contractor, HVAC contractor, plumbing contractor, and any other contractor licensed category. In addition to the regular members, there should be two alternate members, one member with the qualifications referenced above and one member at large from the public. A board member shall not act in a case in which he or she has a personal or financial interest.

113.2.2.1 Terms. The terms of office of the board members shall be staggered so no more than one-third of the board is appointed or replaced in any 12-month period. The two alternates, if appointed, shall serve one-year terms. Vacancies shall be filled for an unexpired term in the manner in which original appointments are required to be made.

113.2.2.2. Removal from office. Members shall be automatically removed for lack of attendance. Lack of attendance is defined as a failure to attend three (3) consecutive meetings or a failure to attend more than one-half of the meetings scheduled during a calendar year. Participation for less than three-fourths of a meeting shall be the same as a failure to attend a meeting. Members

removed pursuant to this provision shall not continue to serve on the board and such removal shall create a vacancy.

113.2.3 Quorum and voting. A simple majority of the board shall constitute a quorum. In varying any provision of this code, the affirmative votes of the majority present, but not less than three affirmative votes, shall be required. In modifying a decision of the Building Official, not less than four affirmative votes, but not less than a majority of the board, shall be required. In the event that regular members are unable to attend a meeting, the alternate members, if appointed, shall vote.

113.2.4 Secretary of board. The Building Official or his/her authorized representative shall act as secretary of the board and shall make a record of all of its proceedings, which shall set forth the reasons for its decision, the vote of each member, the absence of a member, and any failure of a member to vote.

113.3 Powers. The Building Board of Adjustments and Appeals shall have the power, as further defined in 113.4 of this code, to hear appeals of decisions and interpretations of the Building Official and consider variances of the technical codes.

113.4 Appeals.

113.4.1 Decision of the Building Official. The owner of a building, structure or service system, or duly authorized agent, may appeal a decision of the Building Official to the Building Board of Adjustment and Appeals whenever any one of the following conditions are claimed to exist:

1. The Building Official rejected or refused to approve the mode or manner of construction proposed to be followed or materials to be used in the installation or alteration of a building, structure or service system.
2. The provisions of this code do not apply to this specific case.
3. That an equally good or more desirable form of installation can be employed in any specific case, which the Building Official has rejected or refused.
4. The true intent and meaning of this code or any of the regulations hereunder have been misconstrued or incorrectly interpreted.

113.4.2 Variances. The Building Board of Adjustments and Appeals, when upon written request, has been so appealed to and after a hearing, may vary the application of any provision of this code to any particular case when, in its opinion, the enforcement thereof would do manifest injustice

and would be contrary to the spirit and purpose of this or the technical codes or public interest, and also finds all of the following:

1. That special conditions and circumstances exist which are peculiar to the building, structure or service system involved and which are not applicable to others.
2. That the special conditions and circumstances do not result from the action or inaction of the applicant.
3. That granting the variance requested will not confer on the applicant any special privilege that is denied by this code to other buildings, structures or service system.
4. That the variance granted is the minimum variance that will make possible the reasonable use of the building, structure or service system.
5. That the grant of the variance will be in harmony with the general intent and purpose of this code and will not be detrimental to the public health, safety and general welfare.

113.4.2.1 Conditions of the variance. In granting the variance, the board may prescribe a reasonable time limit within which the action for which the variance is required shall be commenced or completed or both. In addition, the board may prescribe appropriate conditions and safeguards in conformity with this code. Violation of the conditions of a variance shall be deemed a violation of this code.

113.4.3 Notice of appeal. Notice of appeal shall be in writing and filed within 30 calendar days after the Building Official renders the decision. Appeals shall be in a form acceptable to the Building Official.

113.4.4 Unsafe or dangerous buildings or service systems. In the case of a building, structure or service system, which in the opinion of the Building Official, is unsafe, unsanitary or dangerous, the Building Official may, in the order, limit the time for such appeals to a shorter period.

113.5 Procedures of the board.

113.5.1 Rules and regulations. The board shall establish rules and regulations for its own procedure not inconsistent with the provisions of this code. The board shall meet on call of the chairman, subsequent to a request to call a meeting by the secretary. The board shall meet within 30 calendar days after notice of appeal has been received.

113.5.1.1 Rules of Evidence. Formal rules of evidence shall not apply, but fundamental due process should be observed and govern the proceedings. Upon determination by the chairman, irrelevant, immaterial, or unduly repetitious evidence may be excluded, but all other evidence of a type commonly relied upon by reasonable, prudent persons in the conduct of their affairs shall be admissible, whether or not such evidence would be admissible in a trial in the courts of Florida. Any part of the evidence may be received in written form. The Board may request

certain evidence from the petitioner to be provided by an architect or engineer registered in the State of Florida, in which case, said evidence shall be signed, sealed, and dated.

113.5.1.2 Testimony. Any member of the Board or the attorney representing the Board may inquire of, or question, any witness before the Board. Any member of the Board, the petitioner or his/her attorney, and/or the Building Official shall be permitted to inquire of any witness before the Board. The Board may consider testimony presented by the Building Official, the petitioner, or any other witness.

113.5.2 Decisions. The Building Board of Adjustment and Appeals shall, in every case, reach a decision without unreasonable or unnecessary delay. Each decision of the board shall also include the reasons for the decision. If a decision of the board reverses or modifies a refusal, order, or disallowance of the Building Official or varies the application of any provision of this code, the Building Official shall immediately take action in accordance with such decision. Every decision shall be promptly filed in writing in the office of the Building Official and shall be open to public inspection. A certified copy of the decision shall be sent by mail or otherwise to the appellant and a copy shall be kept publicly posted in the office of the Building Official for two weeks after filing. Every decision of the board shall be final; subject however to such remedy as any aggrieved party might have at law or in equity.

113.6 Local Construction Regulation Board. The local government may also utilize this Board to convene as the Local Construction Regulation Board (LCRB), as provided in Florida Statute 489.113. The LCRB may deny, suspend, revoke or limit the authority of a certified contractor to obtain a building permit or permit with specific conditions, if the LCRB has found such contractor, through public hearing, to be guilty of fraud or a willful building code violation within the county or municipality that the LCRB represents. The LCRB may also, deny, suspend, revoke or limit the authority of a certified contractor to obtain a building permit or permit with specific conditions, if it has proof through the public hearing process, that a contractor has been found guilty in another county or municipality within the past 12 months, of fraud or a willful building code violation and after providing notice of an opportunity to be heard to the contractor, finds that such fraud or violation would have been fraud or a violation if committed in the county or municipality that the LCRB represents. Notification of and information concerning such permit denial shall be submitted to the division within 15 days after the LCRB decides to deny the permit.

SECTION 114 VIOLATIONS

114.1 Unlawful acts. It shall be unlawful for any person, firm or corporation to erect, construct, alter, extend, repair, move, remove, demolish or occupy any building, structure or equipment regulated by this code, or cause same to be done, in conflict with or in violation of any of the provisions of this code.

114.2 Notice of violation. The *Building Official* is authorized to serve a notice of violation or order on the person responsible for the erection, construction, *Alteration*, extension, repair, moving, removal, demolition or occupancy of a building or structure in violation of the provisions of this code, or in violation of a *Permit* or certificate issued under the provisions of this code. Such order shall direct the discontinuance of the illegal action or condition and the abatement of the violation.

114.3 Prosecution of violation. If the notice of violation is not complied with promptly, the *Building Official* is authorized to request the legal counsel of the jurisdiction to institute the appropriate proceeding at law or in equity to restrain, correct or abate such violation, or to require the removal or termination of the unlawful occupancy of the building or structure in violation of the provisions of this code or of the order or direction made pursuant thereto.

114.4 Violation penalties. Any person who violates a provision of this code or fails to comply with any of the requirements thereof or who erects, constructs, alters or repairs a building or structure in violation of the *Approved Construction Documents* or directive of the *Building Official*, or of a *Permit* or certificate issued under the provisions of this code, shall be subject to penalties as prescribed by law.

114.5 Enforcement. Nothing in this section shall prevent the authority having jurisdiction from imposing fines, liens, or seek injunctive relief, or exercising other enforcement powers as permitted by law. Code enforcement and penalties of Chapter 162 Florida Statutes Part I shall be authorized if building work begins without payment of all required fees, and for the purposes of enforcing this code, code officials licensed under Florida Statute 468 Part XII are deemed "Code Inspectors," as defined in Florida Statute 162.04.

SECTION 115 STOP WORK ORDER

115.1 Authority. Whenever the *Building Official* finds any work regulated by this code being performed in a manner either contrary to the provisions of this code or dangerous or unsafe, the *Building Official* is authorized to issue a stop work order.

115.2 Issuance. The stop work order shall be in writing and shall be given to the *Owner* of the property involved, the owner's authorized agent or the person performing the work. Upon issuance of a stop work order, the cited work shall immediately cease. The stop work order shall state the reason for the order and the conditions under which the cited work will be permitted to resume. Where an emergency exists, the Building Official shall not be required to give a written notice prior to stopping the work.

115.3 Unlawful continuance. Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to penalties as prescribed by law.

**SECTION 116
UNSAFE STRUCTURES AND EQUIPMENT**

116.1 Unsafe buildings or systems. All buildings, structures, electrical, gas, mechanical or plumbing systems which are unsafe, unsanitary, or do not provide adequate egress, or which constitute a fire hazard, or are otherwise dangerous to human life, or which in relation to existing use, constitute a hazard to safety or health, are considered unsafe buildings or service systems. All such unsafe buildings, structures or service systems are hereby declared illegal and shall be ordered by the Building Official to be abated by the owner, through repair and rehabilitation or by demolition in accordance with this Code. The extent of repairs shall be determined by the Building Official. When the Building Official determines that an unsafe building, structure, or service system cannot be reasonably repaired in accordance with this or the technical codes, it shall be demolished in accordance with this section.

116.1.1 When the Building Official determines a building, structure, electrical, gas, mechanical or plumbing system or portion thereof is unsafe, as set forth in this Code he/she shall *Provide* the owner, agent or person in control of such building, structure, electrical, gas, mechanical or plumbing system *A written notice Of Violation* stating the defects thereof. This notice shall require the owner within a stated time either to complete specified repairs or improvements, or to demolish and remove the building, structure, electrical, gas, mechanical or plumbing system or portion thereof.

116.1.1.1 In addition to the written notice being sent by certified mail, return receipt requested to the record owner(s) of the real property upon which the unsafe building, structure, system is located, the Building Official shall post a copy of the notice in a conspicuous place in City Hall, upon the building, structure or system, and a copy shall be recorded in the public records of Palm Beach County.

116.1.1.2 In addition, a copy of the notice, as outlined in this sub-section, shall be published simultaneously for two consecutive weekends in a newspaper of local circulation. Such notice shall be substantially in the following form:

NOTICE OF INTENT TO DEMOLISH OR SUBSTANTIALLY REPAIR AND INSPECT

(Insert Date of Notice)

The owner or other interested parties for the structure located at (address), are hereby notified that the City of Boynton Beach, Florida will proceed to have the building, structure or system repaired, demolished or removed (insert stipulated time) after the date of this Notice, if said building, structure or system is not substantially repaired, demolished or removed by that date. All costs incurred by the City in connection with the repair, demolition or removal will be assessed against the property.

If, as a result of this Notice, the building, structure or system is substantially repaired, demolished, or removed by the owner, notice is hereby given that work to abate the unsafe condition requires building permits and inspections for code compliance, and all related fees are required to be paid prior to performing the work or receiving certification of code compliance.

To request an extension of time, the owner should contact (Contact Person and Phone Number) within ten (10) days of the date of this Notice. Said request for extension must be made in writing to the Building Official.

An affected owner or duly authorized agent has the right to appeal this action to the Building Board of Adjustment and Appeals. An application of appeal should be filed in writing and hearing costs paid by the affected owner or duly authorized agent, at the City of Boynton Beach Building Division Office, within (insert stipulated time) of the date of this Notice. The fee to cover hearing costs shall be established by ordinance.

116.1.1.3 Evidence that an attempt has been made to hand deliver or mail the Notice, as provided herein, together with a copy of the recorded “Notice of Intent to Demolish or Substantially Repair and Inspect” at the Clerk of the Court Office, and proof of publication, shall be sufficient to show that the notice requirements of this Section have been met, without regard to whether or not the owner actually received said notice.

116.1.2 If necessary, the notice shall also require the building, structure, electrical, gas, mechanical, plumbing systems or portion thereof to be vacated and/or disconnected, and not reoccupied and/or reconnected until the specified repairs and improvements are completed, inspected and approved by the Building Official. The Building Official shall post at each entrance to the building a placard stating: THIS BUILDING IS UNSAFE AND ITS USE OR OCCUPANCY HAS BEEN PROHIBITED BY THE BUILDING OFFICIAL. This placard shall remain posted until the required repairs are made or demolition is completed. It shall be unlawful for any person, firm or corporation or its officers, agents, or other servants, to remove the posting without written permission of the Building Official, or for any person to enter the building, or use the building or system(s) except for the purpose of making the required repairs or of demolishing same.

116.1.3 In case the owner, agent, or person in control cannot be found within the stated time limit, or, if such owner, agent, or person in control shall fail, neglect, or refuse to comply with notice to repair, rehabilitate, or to demolish, and remove said building, structure, electrical, gas, mechanical or plumbing system or portion thereof, the Building Official, after having ascertained the cost may take action to cause such building, structure, electrical, gas, mechanical or plumbing system or portion thereof, to be demolished, secured, repaired, or required to remain vacant or unused. Taking such action does not create a continuing obligation on the part of the Building Official to continue with maintaining such building, structure, or system; or create liability for any damage to the property.

116.1.4 The decision of the Building Official shall be final in cases of emergency, which, in the opinion of the Building Official, involve imminent danger to human life or health, or the property of others. He/she shall promptly cause such building, structure, electrical, gas, mechanical or plumbing system or portion thereof to be made safe or cause its removal. For this purpose he/she may at once enter such structure or land on which it stands, or abutting land or structures, with such assistance and at such cost as he may deem necessary. He/she may order the vacating of adjacent structures and may require the protection of the public by appropriate fence or such other means as may be necessary, and for this purpose may close a public or private way.

116.2 Reserved.

116.3 Administrative fines; costs to repair; liens. Costs incurred under 116.1.3 and 116.1.4 shall be charged to the owner of the premises involved. If charges are not paid within a ten (10) day period following *mailing of* the billing notification sent by certified mail, the owner of the premises will be charged in the following manner:

1. The Building Official shall assess the entire cost of such vacation, demolition, securing, or removal against the real property upon which such cost was incurred, which assessment shall include but not be limited to all administrative costs, postal expenses, and shall constitute a lien upon such property superior to all others except taxes.

2. The Clerk of the Circuit Court shall file such lien in the County's Official Record Book showing the nature of such lien, the amount thereof and an accurate legal description of the property, including the street address, which lien shall be effective from the date of filing and recite the names of all persons notified and interested persons. After three (3) months from the filing of any such lien which remains unpaid, the governing body may foreclose the lien in the same manner as mortgage liens are foreclosed. Such lien shall bear interest from date of abatement of nuisance at the rate of ten (10) percent per annum and shall be enforceable if unsatisfied as other liens may be enforced by the governing agency.

116.4 Appeal. The owner, agent, or person in control of an unsafe structure or system shall have the right to appeal the decision of the Building Official, as provided hereinafter, and to appear before the Building Board of Adjustments and Appeals at a specified time and place to show cause why they should not comply with said notice.

**SECTION 117
VARIANCES IN FLOOD HAZARD AREAS**

117.1 Flood hazard areas. Pursuant to Section 553.73(5), Florida Statutes, the variance procedures adopted in the local floodplain management ordinance shall apply to requests submitted to the Building Official for variances to the provisions of Section 1612.4 of the Florida Building Code, Building or, as applicable, the provisions of R322 of the Florida Building Code, Residential. This section shall not apply to Section 3109 of the Florida Building Code, Building.

SECTION 118
WIND LOADS
(Section 1609, Florida Building Code)

The basic wind speed in miles per hour, for development of wind loads, shall be determined from figure 1609, said Basic Wind Speed for Boynton Beach as depicted on map Figure 1609A, Figure 1609B, and Figure 1609C is hereby added to this code.

SECTION 119
SEVERABILITY

If any section, subsection, sentence, clause or phrase of this code is for any reason held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this code.